

# INDEX

## A

Addition Rule, 189  
 for the probability of  $A$   
 and  $B$ , 157, 160  
 alternative formula  
 for the standardized test  
 statistic for a proportion,  
 402  
 for variance and standard  
 deviation, 96  
 alternative hypothesis  
 one-sample, 357  
 two-sample, 430  
 analysis of variance  
 (ANOVA) test  
 one-way, 574, 575  
 two-way, 580  
 approximating binomial  
 probabilities, 284  
 area of a region  
 under a probability curve, 239  
 under a standard normal  
 curve, 239

## B

back-to-back stem-and-leaf  
 plot, 64  
 Bayes' Theorem, 154  
 biased sample, 20  
 bimodal, 67  
 binomial distribution, 221  
 mean of a, 210  
 normal approximation to a,  
 281  
 population parameters of a,  
 210  
 standard deviation of a, 210  
 variance of a, 210  
 binomial experiment, 202, 540  
 notation for, 202  
 binomial probabilities, using  
 the normal distribution to  
 approximate, 284  
 binomial probability  
 distribution, 205, 221  
 binomial probability formula, 204  
 bivariate normal distribution, 517  
 blinding, 18  
 blocks, 18  
 box-and-whisker plot, 102  
 side-by-side, 111  
 boxplot, 102  
 modified, 112

## C

calculating a correlation  
 coefficient, 488  
 categories, 540  
 $c$ -confidence interval  
 for the population mean, 307

for the population  
 proportion, 328  
 cell, 551  
 census, 3, 20  
 center, 38  
 central angle, 56  
 Central Limit Theorem, 268  
 chart  
 control, 256  
 Pareto, 57  
 pie, 56  
 time series, 59  
 Chebychev's Theorem, 87  
 Chi-square  
 distribution, 337  
 goodness-of-fit test, 540, 542  
 independence test, 553  
 test  
 finding critical values for, 404  
 for independence, 553  
 for standard deviation, 406,  
 415  
 test statistic for, 406  
 for variance, 406, 415  
 class, 38  
 boundaries, 42  
 mark, 40  
 width, 38  
 class limit  
 lower, 38  
 upper, 38  
 classical probability, 132, 160  
 closed question, 25  
 cluster sample, 21  
 clusters, 21  
 of data, 71  
 coefficient  
 correlation, 487  
 $t$ -test for, 492  
 of determination, 514  
 of variation, 96  
 combination  
 of  $n$  objects taken  $r$  at a  
 time, 170, 171  
 complement of event  $E$ , 136  
 complementary events, 160  
 completely randomized  
 design, 18  
 conditional probability, 145  
 conditional relative frequency,  
 563  
 confidence, level of, 305  
 confidence interval, 307  
 for  $\sigma_1^2/\sigma_2^2$ , 573  
 for the difference between  
 means, 440, 450  
 for the difference between  
 two population  
 proportions, 468  
 for the mean of the  
 differences of paired  
 data, 460  
 for a population mean,  
 finding a, 307  
 for a population proportion,  
 constructing a, 328  
 for a population standard  
 deviation, 339  
 for a population variance,  
 339  
 for slope, 523  
 for  $y$ -intercept, 523  
 confounding variable, 18  
 constructing  
 a confidence interval for the  
 difference between  
 means, 440, 450  
 a confidence interval for the  
 difference between two  
 population  
 proportions, 468  
 a confidence interval for the  
 mean of the differences  
 of paired data, 460  
 a confidence interval for the  
 mean:  $t$ -distribution, 320  
 a confidence interval for a  
 population proportion,  
 328  
 a confidence interval for a  
 population standard  
 deviation, 339  
 a confidence interval for a  
 population variance, 339  
 a discrete probability  
 distribution, 192  
 a frequency distribution  
 from a data set, 38  
 an ogive, 45  
 a prediction interval for  $y$   
 for a specific value of  $x$ ,  
 517  
 contingency table, 551  
 contingency table cells, finding  
 the expected frequency  
 for, 551  
 continuity correction, 283  
 continuous probability  
 distribution, 236  
 continuous random variable,  
 190, 236  
 control  
 chart, 256  
 group, 16  
 convenience sample, 22  
 correction, continuity, 283  
 correction factor  
 finite, 278  
 finite population, 316  
 correlation, 484  
 correlation coefficient, 487  
 Pearson product moment, 487  
 Spearman rank, 625  
 $t$ -test for, 492

using a table for, 490  
 counting principle,  
 fundamental, 130, 171  
 $c$ -prediction interval, 517  
 critical region, 376  
 critical value, 305, 376  
 in a normal distribution,  
 finding, 376  
 in a  $t$ -distribution, finding, 387  
 cumulative frequency, 40  
 graph, 44  
 curve, normal, 236

## D

data, 2  
 qualitative, 9  
 quantitative, 9  
 data sets  
 center of, 38  
 paired, 58  
 shape of, 38  
 variability of, 38  
 decision rule  
 based on  $P$ -value, 364, 371  
 based on rejection region, 378  
 degrees of freedom, 318  
 corresponding to the  
 variance in the  
 denominator, 565  
 corresponding to the  
 variance in the  
 numerator, 565  
 density function, probability, 236  
 dependent  
 event, 146  
 random variable, 201  
 sample, 428  
 variable, 484  
 descriptive statistics, 5  
 designing a statistical study, 16  
 determination, coefficient of, 514  
 deviation, 81  
 explained, 513  
 total, 513  
 unexplained, 513  
 d.f.<sub>D</sub>, 565  
 d.f.<sub>N</sub>, 565  
 diagram, tree, 128  
 discrete probability  
 distribution, 191  
 discrete random variable, 190  
 expected value of a, 196  
 mean of a, 194  
 standard deviation of a, 195  
 variance of a, 195  
 distinguishable permutation, 170  
 distribution  
 binomial, 221  
 binomial probability, 205, 221  
 bivariate normal, 517  
 chi-square, 337  
 continuous probability, 236

discrete probability, 191  
 $F$ -, 565  
 frequency, 38  
   geometric, 218, 221  
 hypergeometric, 224  
 normal, 236  
   finding critical values in, 376  
   properties of a, 236  
 Poisson, 219, 221  
 sampling, 266  
 standard normal, 239, A1, A2  
   properties of, 239, A2  
 $t$ -, 318  
   finding critical values in, 387  
 uniform, 248  
 dot plot, 55  
 double-blind experiment, 18  
 drawing a box-and-whisker plot, 103

**E**

$e$ , 219  
 effect  
   Hawthorne, 18  
   interaction, 580  
   main, 580  
   placebo, 18  
 elements of well-designed experiment, 18  
 empirical probability, 133, 160  
 Empirical Rule (or 68-95-99.7 Rule), 86  
 equation  
   exponential, 510  
   logarithmic, 510  
   multiple regression, 524  
   of a regression line, 502  
   power, 510  
 error  
   of estimate  
     maximum, 306  
     standard, 515  
   margin of, 306  
   of the mean  
     standard, 266  
   sampling, 20, 266, 306  
   tolerance, 306  
   type I, 359  
   type II, 359  
 estimate  
   interval, 305  
   point, 304  
   pooled, of the standard deviation, 442  
   standard error of, 515  
 estimating  $p$  by minimum sample size, 331  
 estimator, unbiased, 304  
 event, 128  
   complement of an, 136  
   dependent, 146  
   independent, 146, 160  
   mutually exclusive, 156, 160  
   simple, 129  
 expected frequency, 541

finding for contingency table cells, 551  
 expected value, 196  
   of a discrete random variable, 196  
 experiment, 16  
   binomial, 202, 540  
   double-blind, 18  
   multinomial, 215, 540  
   probability, 128  
   well-designed, elements of, 18  
 experimental design  
   completely randomized, 18  
   matched-pairs, 19  
   randomized block, 18  
 experimental unit, 16  
 explained deviation, 513  
 explained variation, 513  
 explanatory variable, 484  
 exploratory data analysis (EDA), 53  
 exponential equation, 510

**F**

factorial, 168  
 false positive, 155  
 $F$ -distribution, 565  
 finding areas under the standard normal curve, 241, A4  
 finding a confidence interval for a population mean, 307  
 finding critical values  
   for the chi-square test, 404  
   for the  $F$ -distribution, 566  
   in a normal distribution, 376  
   in a  $t$ -distribution, 387  
 finding the expected frequency for contingency table cells, 551  
 finding the mean of a frequency distribution, 70  
 finding a minimum sample size to estimate  $\mu$ , 310  
   to estimate  $p$ , 331  
 finding the  $P$ -value for a hypothesis test, 371  
 finding the standard error of estimate, 515  
 finding the test statistic for the one-way ANOVA test, 575  
 finite correction factor, 278  
 finite population correction factor, 316  
 first quartile, 100  
 five-number summary, 103  
 formula, binomial probability, 204  
 fractiles, 100  
 frequency, 38  
   conditional relative, 563  
   cumulative, 40  
   expected, 541  
   joint, 551  
   marginal, 551  
   observed, 541

relative, 40  
 frequency distribution, 38  
   mean of, 70  
   rectangular, 71  
   skewed left (negatively skewed), 71  
   skewed right (positively skewed), 71  
   symmetric, 71  
   uniform, 71  
 frequency histogram, 42  
   relative, 44  
 frequency polygon, 43  
 $F$ -test for variances, two-sample, 568  
 function, probability density, 236  
 Fundamental Counting Principle, 130, 171

**G**

Gallup poll, 351  
 gaps, 68  
 geometric distribution, 218, 221  
   mean of a, 224  
   variance of a, 224  
 geometric probability, 218  
 goodness-of-fit test, chi-square, 540, 542  
 graph  
   cumulative frequency, 44  
   misleading, 64

**H**

Hawthorne effect, 18  
 histogram  
   frequency, 42  
   relative frequency, 44  
 history of statistics timeline, 33  
 homogeneity of proportions test, 561  
 hypergeometric distribution, 224  
 hypothesis  
   alternative, 357, 430  
   null, 357, 430  
   statistical, 357  
 hypothesis test, 356  
   finding the  $P$ -value for, 371  
 hypothesis testing  
   for slope, 523  
   steps for, 365  
   summary of, 414, 415

**I**

independence test, chi-square, 553  
 independent, 551  
   event, 146, 160  
   random variable, 201  
   sample, 428  
   variable, 484  
 inferential statistics, 5  
 inflection points, 236, 237  
 influential point, 509  
 inherent zero, 11  
 interaction effect, 580  
 interquartile range (IQR), 102

interval,  $c$ -prediction, 517  
 interval estimate, 305  
 interval level of measurement, 11, 12  
 intervals, 38

**J**

joint frequency, 551

**K**

Kruskal-Wallis test, 619  
   test statistic for, 619

**L**

law of large numbers, 134  
 leaf, 53  
 left, skewed, 71  
 left-tailed test, 362  
   for a population correlation coefficient, 492  
 length of a run, 631  
 level of confidence, 305  
 level of significance, 361, 490  
 levels of measurement  
   interval, 11, 12  
   nominal, 10, 12  
   ordinal, 10, 12  
   ratio, 11, 12  
 limit  
   lower class, 38  
   upper class, 38  
 line  
   of best fit, 501  
   regression, 490, 501  
 linear transformation of a random variable, 201  
 logarithmic equation, 510  
 transformation, 510  
 lower class limit, 38

**M**

main effect, 580  
 making an interval estimate, 305  
 margin of error, 306  
 marginal frequency, 551  
 matched samples, 428  
 matched-pairs design, 19  
 maximum error of estimate, 306  
 mean, 65  
   of a binomial distribution, 210  
   difference between  
     two-sample  $t$ -test for, 442  
     two-sample  $z$ -test for, 431  
   of a discrete random variable, 194  
   of a frequency distribution, 70  
   of a geometric distribution, 224  
   standard error, 266  
   trimmed, 78  
    $t$ -test for, 389  
   weighted, 69  
 mean absolute deviation (MAD), 97  
 mean square

- between, 574
- within, 574
- means, sampling distribution
  - of sample, 266
- measure of central tendency, 65
- measurement
  - interval level of, 11, 12
  - nominal level of, 10, 12
  - ordinal level of, 10, 12
  - ratio level of, 11, 12
- median, 66
- midpoint, 40
- midquartile, 111
- midrange, 78
- minimum sample size
  - to estimate  $\mu$ , 310
  - to estimate  $p$ , 331
- misleading graph, 64
- mode, 67
- modified boxplot, 112
- multinomial experiment, 215, 540
- multiple regression equation, 524
- Multiplication Rule for the
  - probability of  $A$  and  $B$ , 147, 160
- mutually exclusive, 156, 160

## N

- $n$  factorial, 168
- negative linear correlation, 484
- negatively skewed, 71
- no correlation, 484
- nominal level of
  - measurement, 10, 12
- nonlinear correlation, 484
- nonparametric test, 598
- normal approximation to a
  - binomial distribution, 281
- normal curve, 236
- normal distribution, 236
  - bivariate, 517
  - finding critical values in, 376
  - properties of a, 236
  - standard, 239, A1, A2
    - finding areas under, 241, A4
    - properties of, 239, A2
- normal probability plot, A28
- normal quantile plot, A28
- notation for binomial
  - experiment, 202
- null hypothesis
  - one-sample, 357
  - two-sample, 430

## O

- observational study, 16
- observed frequency, 541
- odds, 143
  - of losing, 143
  - of winning, 143
- ogive, 44
- one-way analysis of variance, 574
  - test, 574, 575
  - finding the test statistic
    - for, 575
- open question, 25

- ordered stem-and-leaf plot, 53
- ordinal level of measurement, 10, 12
- outcome, 128
- outlier, 54, 68

## P

- paired data sets, 58
- paired samples, 428
  - sign test, performing a, 602
- parameter, 4
  - population
    - binomial distribution, 210
- Pareto chart, 57
- Pearson product moment
  - correlation coefficient, 487
- Pearson's index of skewness, 97
- performing
  - a chi-square goodness-of-fit test, 542
  - a chi-square test for
    - independence, 554
  - a Kruskal-Wallis test, 620
  - a one-way analysis
    - of variance test, 576
  - a paired-sample sign test, 602
  - a runs test for randomness, 633
  - a sign test for a
    - population median, 599
  - a Wilcoxon rank sum test, 612
  - a Wilcoxon signed-rank test, 609
- permutation, 168, 171
  - distinguishable, 170, 171
  - of  $n$  objects taken  $r$  at a time, 168, 171
- pie chart, 56
- placebo, 16
  - effect, 18
- plot
  - back-to-back stem-and-leaf, 64
  - box-and-whisker, 102
  - dot, 55
  - normal probability, A28
  - normal quantile, A28
  - residual, 509
  - scatter, 58, 484
  - side-by-side box-and-whisker, 111
  - stem-and-leaf, 53
- point, influential, 509
- point estimate, 304
  - for  $\sigma$ , 337
  - for  $\sigma^2$ , 337
  - for  $p$ , 327
- Poisson distribution, 219, 221
  - variance of a, 224
- polygon, frequency, 43
- pooled estimate of the
  - standard deviation, 442
- population, 3
  - correlation coefficient
    - using Table 11 for the, 490
    - using the  $t$ -test for the, 492
  - mean, finding a confidence interval for, 307
- parameters
  - of a binomial
    - distribution, 210
  - proportion, 327
    - constructing a confidence interval for, 328
  - standard deviation, 82
  - variance, 81, 82
- positive linear correlation, 484
- positively skewed, 71
- power equation, 510
- power of the test, 361
- principle, fundamental
  - counting, 130, 171
- probability
  - Addition Rule for, 157, 160
  - classical, 132, 160
  - conditional, 145
  - curve, area of a region
    - under, 239
  - density function, 236
  - empirical, 133, 160
  - experiment, 128
  - formula, binomial, 204
  - geometric, 218
  - Multiplication Rule for, 147, 160
  - rule, range of, 135, 160
  - statistical, 133
  - subjective, 134
  - that the first success will
    - occur on trial number  $x$ , 218, 221
  - theoretical, 132
  - value, 361
- probability distribution
  - binomial, 205, 221
  - chi-square, 337
  - continuous, 236
  - discrete, 191
  - geometric, 218, 221
  - normal, properties of a, 236
  - Poisson, 219, 221
  - sampling, 266
  - standard normal, 239
- probability plot, normal, A28
- properties
  - of a normal distribution, 236
  - of sampling distributions of
    - sample means, 266
  - of the standard normal
    - distribution, 239, A2
- proportion
  - population, 327
    - confidence interval for, 328
    - $z$ -test for, 398
  - sample, 279
- proportions, sampling
  - distribution of sample, 279
- proportions test, homogeneity
  - of, 561
- $P$ -value, 361
  - decision rule based on, 364, 371
  - for a hypothesis test, finding the, 371

## Q

- qualitative data, 9
- quantile plot, normal, A28
- quantitative data, 9
- quartile, 100
  - first, 100
  - second, 100
  - third, 100
- question
  - closed, 25
  - open, 25

## R

- random sample, simple, 20
- random sampling, 3
- random variable, 190
  - continuous, 190, 236
  - dependent, 201
  - discrete, 190
    - expected value of a, 196
    - mean of a, 194
    - standard deviation of a, 195
    - variance of a, 195
  - independent, 201
    - linear transformation of a, 201
- randomization, 18
- randomized block design, 18
- randomness, runs test for, 632
- range, 38, 80
  - interquartile, 102
  - of probabilities rule, 135, 160
- rank correlation coefficient,
  - Spearman, 625
- rank sum test, Wilcoxon, 611
- ratio level of measurement, 11, 12
- rectangular, frequency
  - distribution, 71
- region
  - critical, 376
  - rejection, 376
- regression equation, multiple, 524
- regression line, 490, 501
  - deviation about, 513
  - equation of, 502
  - variation about, 513
- rejection region, 376
  - decision rule based on, 378
- relative frequency, 40
  - conditional, 563
  - histogram, 44
- replacement
  - with, 21
  - without, 21, 203
- replication, 19
- residual plot, 509
- residuals, 501
- response variable, 484
- right, skewed, 71
- right-tailed test, 362
  - for a population correlation coefficient, 492
- rule
  - addition, 157, 160
  - decision
    - based on  $P$ -value, 364, 371

based on rejection  
region, 378  
empirical, 86  
multiplication, 147, 160  
range of probabilities, 135, 160  
run, 631  
runs test for randomness, 632

## S

sample, 3  
biased, 20  
cluster, 21  
convenience, 22  
dependent, 428  
independent, 428  
matched, 428  
paired, 428  
random, 20  
simple, 20  
stratified, 21  
systematic, 22  
sample means  
sampling distribution for  
the difference of, 430  
sampling distribution of, 266  
sample proportion, 279  
sample proportions, sampling  
distribution of, 279  
sample size, 19  
minimum to estimate  $\mu$ , 310  
minimum to estimate  $p$ , 331  
sample space, 128  
sample standard deviation, 83  
for grouped data, 88  
sample variance, 83  
sampling, 20  
sampling distribution, 266  
for the difference of the  
sample means, 430  
for the difference between  
the sample proportions,  
461  
for the mean of the differences  
of the paired data entries  
in dependent  
samples, 451  
properties of, 266  
of sample means, 266  
of sample proportions, 279  
sampling error, 20, 266, 306  
sampling process  
with replacement, 21  
without replacement, 21  
scatter plot, 58, 484  
Scheffé Test, 586  
score, standard, 105  
second quartile, 100  
shape, 38  
side-by-side box-and-whisker  
plot, 111  
sigma, 39  
sign test, 598  
performing a paired-sample,  
602  
test statistic for, 599  
signed-rank test, Wilcoxon, 609  
significance, level of, 361, 490  
simple event, 129  
simple random sample, 20  
simulation, 17  
skewed  
left, 71  
negatively, 71  
positively, 71  
right, 71  
slope  
confidence interval for, 523  
hypothesis testing for, 523  
Spearman rank correlation  
coefficient, 625  
standard deviation  
of a binomial distribution, 210  
chi-square test for, 406, 415  
confidence intervals for, 339  
of a discrete random  
variable, 195  
point estimate for, 337  
pooled estimate of, 442  
population, 82  
sample, 83  
standard error  
of estimate, 515  
of the mean, 266  
standard normal curve, finding  
areas under, 241, A4  
standard normal distribution,  
239, A1, A2  
properties of, 239, A2  
standard score, 105  
standardized test statistic,  
for a chi-square test  
for standard deviation,  
406, 415  
for variance, 406, 415  
for the correlation  
coefficient  
 $t$ -test, 492  
for the difference between  
means  
 $t$ -test, 452  
 $z$ -test, 431  
for the difference between  
proportions  $z$ -test, 462  
for a  $t$ -test  
for a mean 389, 415  
two-sample, 442  
for a  $z$ -test  
for a mean, 373, 415  
for a proportion, 398, 415  
two-sample, 431  
statistic, 4  
statistical hypothesis, 357  
statistical probability, 133  
statistical process control  
(SPC), 256  
statistical study, designing a, 16  
statistics, 2  
descriptive, 5  
history of, timeline, 33  
inferential, 5  
status, 2  
stem, 53  
stem-and-leaf plot, 53

back-to-back, 64  
ordered, 53  
unordered, 53  
steps for hypothesis testing, 365  
strata, 21  
stratified sample, 21  
study  
observational, 16  
statistical, designing a, 16  
subjective probability, 134  
successes, population proportion  
of, 327  
sum of squares, 81–83  
sum test, Wilcoxon rank, 611  
summary  
of counting principles, 171  
of discrete probability  
distributions, 221  
five-number, 103  
of four levels of  
measurement, 12  
of hypothesis testing, 414, 415  
of probability, 160  
survey, 17  
survey questions  
closed question, 25  
open question, 25  
symmetric, frequency  
distribution, 71  
systematic sample, 22

## T

table, contingency, 551  
 $t$ -distribution, 318  
constructing a confidence  
interval for the mean, 320  
finding critical values in, 387  
test  
chi-square  
goodness-of-fit, 540, 542  
independence, 553  
homogeneity of proportions,  
561  
hypothesis, 356  
Kruskal-Wallis, 619  
left-tailed, 362  
nonparametric, 598  
one-way analysis of  
variance, 574, 575  
paired-sample sign, 602  
power of the, 361  
for randomness, runs, 632  
right-tailed, 362  
Scheffé, 586  
sign, 598  
two-tailed, 362  
two-way analysis of variance,  
580  
Wilcoxon rank sum, 611  
Wilcoxon signed-rank, 609  
test statistic, 361  
for a chi-square test, 406, 415  
for the correlation coefficient,  
492  
for the difference between  
means, 452  
for the difference between  
proportions, 462  
for a mean, 389, 415  
for the difference between  
means, 442  
two-sample  
 $F$ -test for variances, 568  
 $t$ -test, 442  
 $z$ -test  
for the difference  
between means, 431  
for the difference  
between proportions,  
462  
two-tailed test, 362  
for a population correlation  
coefficient, 492  
two-way analysis of variance  
test, 580  
type I error, 359  
type II error, 359

for the difference between  
proportions, 462  
for the Kruskal-Wallis test, 619  
for a mean  
large sample, 373, 415  
small sample, 389, 415  
for a proportion, 398, 415  
for the runs test, 633  
for the sign test, 599  
for a two-sample  $t$ -test, 442  
for a two-sample  $z$ -test, 431  
for the Wilcoxon rank sum  
test, 612  
testing the significance of the  
Spearman rank correlation  
coefficient, 626

## Theorem

Bayes', 154  
Central Limit, 268  
Chebychev's, 87  
theoretical probability, 132  
third quartile, 100  
time series, 59  
chart, 59  
timeline, history of statistics, 33  
total deviation, 513  
total variation, 513  
transformation, logarithmic, 510  
transformations to achieve  
linearity, 510  
transforming a  $z$ -score to an  
 $x$ -value, 259  
treatment, 16  
tree diagram, 128  
trimmed mean, 78  
 $t$ -test  
for the correlation  
coefficient, 492  
for the difference between  
means, 452  
for a mean, 389, 415  
two-sample  
for the difference between  
means, 442  
two-sample  
 $F$ -test for variances, 568  
 $t$ -test, 442  
 $z$ -test  
for the difference  
between means, 431  
for the difference  
between proportions,  
462  
two-tailed test, 362  
for a population correlation  
coefficient, 492  
two-way analysis of variance  
test, 580  
type I error, 359  
type II error, 359

## U

unbiased estimator, 304  
unexplained deviation, 513  
unexplained variation, 513

- uniform, frequency distribution, 71
  - uniform distribution, 248
  - upper class limit, 38
  - using
    - the chi-square test for a variance or standard deviation, 406
    - the normal distribution to approximate binomial probabilities, 284
  - P*-values for a *z*-test for a mean, 373
  - rejection regions for a *z*-test for a mean, 378
  - Table 11 for the correlation coefficient, 490
  - the *t*-test
    - for the correlation coefficient  $\rho$ , 492
    - for the difference between means, 452
    - for a mean, 389
  - a two-sample *F*-test to compare  $\sigma_1^2$  and  $\sigma_2^2$ , 568
  - a two-sample *t*-test for the difference between means, 443
  - a two-sample *z*-test for the difference between means, 431
  - for the difference between proportions, 462
  - a *z*-test for a proportion, 398
- V**
- value
    - critical, 305, 376
    - expected, 196
    - probability, 361
  - variable
    - confounding, 18
    - dependent, 484
    - explanatory, 484
    - independent, 484
    - random, 190
      - continuous, 190, 236
      - discrete, 190
    - response, 484
  - variability, 38
  - variance
    - of a binomial distribution, 210
    - chi-square test for, 406, 415
    - confidence intervals for, 339
    - of a discrete random variable, 195
    - of a geometric distribution, 224
    - mean square
      - between, 574
      - within, 574
    - one-way analysis of, 574
    - point estimate for, 337
    - of a Poisson distribution, 224
    - population, 81, 82
    - sample, 83
    - two-sample *F*-test for, 568
    - two-way analysis of, 580
  - variation
    - coefficient of, 96
    - explained, 513
    - total, 513
    - unexplained, 513
- W**
- weighted mean, 69
  - Wilcoxon rank sum test, 611
    - test statistic for, 612
  - Wilcoxon signed-rank test, 609
  - with replacement, 21
  - without replacement, 21, 203
- X**
- x*, random variable, 190
- Y**
- y*-intercept, confidence interval for, 523
- Z**
- zero, inherent, 11
  - z*-score, 105
  - z*-test
    - for a mean, 373, 415
      - test statistic for, 373, 415
      - using *P*-values for, 373
      - using rejection regions for, 378
    - for a proportion, 398, 415
      - test statistic for, 398, 415
  - two-sample
    - difference between means, 431
    - difference between proportions, 462

*This page intentionally left blank*



# Photo Credits

**Table of Contents** **Ch. 1** Tetra Images/Alamy; **Ch. 2** AP Images; **Ch. 3** Monty Brinton/CBS/Getty Images; Valerie Macon/Getty Images; **Ch. 4** Monkey Business Images/Shutterstock; **Ch. 5** Dndavis/Dreamstime; **Ch. 6** Blend Images/Veers; **Ch. 7** Mark Sykes/Computer Screen Concepts/Alamy; **Ch. 8** Thinkstock; **Ch. 9** Henny Ray Abrams/AP Images; **Ch. 10** Rob Wilson/Shutterstock; **Ch. 11** Andresr/Shutterstock

**Chapter 1 p.xx** Tetra Images/Alamy; **p. 3** Collage Photography/Veer/Corbis; **p. 4** Blend Images Photography/Veer/Corbis; Globe: OJO Images Photography/Veer/Corbis; **p. 6** Ocean Photography/Veer/Corbis; **p. 19** Olinchuk/Shutterstock; **p. 20** Fancy Photography/Veers; **p. 33** John W. Tukey/Stanhope Hall/Princeton University; Karl Pearson/SPL/Photo Researchers, Inc; Sir Ronald Aylmer Fisher/A. Barrington Brown/Photo Researchers, Inc

**Chapter 2 p. 36** AP Images; **p. 38** RubberBall Photography/Veer/Corbis; **p. 43** Collage Photography/Veer/Corbis; **p. 53** Andres Rodriguez/123RF; **p. 99** Katrina Brown/iStockphoto; **p. 100** Peter Nad/Shutterstock; **p. 106** Kevin Winter/Getty Images; **p. 113** Thumb/Shutterstock; **p. 120** Logo: Coutesy of the National Apartment Association; RF/Pakhnyushcha/Shutterstock; **p. 124** Veer/Corbis

**Chapter 3 p. 126** Monty Brinton/CBS/Getty Images; Sign: Valerie Macon/Getty Images; **p. 148** iStockPhoto/Thinkstock; **p. 173** Andrew Brookes/Corbis; **p. 186** MUSL Multi-State Lottery Association

**Chapter 4 p. 188** Monkey Business Images/Shutterstock

**Chapter 5 p. 234** Dndavis/Dreamstime

**Chapter 6 p. 302** Blend Images/Veers; **p. 317** Rob Wilson/Shutterstock; **p. 321** The Granger Collection

**Chapter 7 p. 354** Mark Sykes/Computer Screen Concepts/Alamy; **p. 356** Michael Shake/Shutterstock; **p. 379** S06/Zuma Press/Newscom

**Chapter 8 p. 426** Thinkstock; **p. 441** Blend Images/Alamy; **p. 443** Shutterstock; **p. 453** By permission of EastBay Shoes, Inc.

**Chapter 9 p. 482** Henny Ray Abrams/AP Images; **p. 537** U. S. Food and Drug Administration

**Chapter 10 p. 538** Rob Wilson/Shutterstock; **p. 587** Superstock; **p. 594** Courtesy of the National Consumer League's Fraud Center

**Chapter 11 p. 596** Andresr/Shutterstock; **p. 639** Ersin Kurtal/Shutterstock; **p. 646** Bureau of Labor Statistics