

## A

## Alternative Presentation of the Standard Normal Distribution

## WHAT YOU SHOULD LEARN

- ▶ How to find areas under the standard normal curve

## INSIGHT

Because every normal distribution can be transformed to the standard normal distribution, you can use z-scores and the standard normal curve to find areas (and therefore probabilities) under any normal curve.



## STUDY TIP

It is important that you know the difference between  $x$  and  $z$ . The random variable  $x$  is sometimes called a raw score and represents values in a nonstandard normal distribution, whereas  $z$  represents values in the standard normal distribution.



## The Standard Normal Distribution


## ▶ THE STANDARD NORMAL DISTRIBUTION

There are infinitely many normal distributions, each with its own mean and standard deviation. The normal distribution with a mean of 0 and a standard deviation of 1 is called the *standard normal distribution*. The horizontal scale of the graph of the standard normal distribution corresponds to z-scores. In Section 2.5, you learned that a z-score is a measure of position that indicates the number of standard deviations a value lies from the mean. Recall that you can transform an  $x$ -value to a z-score using the formula

$$z = \frac{\text{Value} - \text{Mean}}{\text{Standard deviation}} = \frac{x - \mu}{\sigma}.$$

## DEFINITION

The **standard normal distribution** is a normal distribution with a mean of 0 and a standard deviation of 1.



If each data value of a normally distributed random variable  $x$  is transformed into a z-score, the result will be the standard normal distribution. When this transformation takes place, the area that falls in the interval under the nonstandard normal curve is the *same* as that under the standard normal curve within the corresponding z-boundaries.

In Section 2.4, you learned to use the Empirical Rule to approximate areas under a normal curve when values of the random variable  $x$  corresponded to  $-3$ ,  $-2$ ,  $-1$ ,  $0$ ,  $1$ ,  $2$ , or  $3$  standard deviations from the mean. Now, you will learn to calculate areas corresponding to other  $x$ -values. After you transform an  $x$ -value to a z-score, you can use the Standard Normal Table (0-to- $z$ ) on page A1. The table lists the area under the standard normal curve between 0 and the given z-score. As you examine the table, notice the following.




## PROPERTIES OF THE STANDARD NORMAL DISTRIBUTION

1. The distribution is symmetric about the mean ( $z = 0$ ).
2. The area under the standard normal curve to the left of  $z = 0$  is 0.5 and the area to the right of  $z = 0$  is 0.5.
3. The area under the standard normal curve increases as the distance between 0 and  $z$  increases.

At first glance, the table on page A1 appears to give areas for positive  $z$ -scores only. However, because of the symmetry of the standard normal curve, the table also gives areas for negative  $z$ -scores (see Example 1).

**STUDY TIP**

When the  $z$ -score is not in the table, use the entry closest to it. If the given  $z$ -score is exactly midway between two  $z$ -scores, then use the area midway between the corresponding areas.



**EXAMPLE 1**

► **Using the Standard Normal Table (0-to- $z$ )**

1. Find the area under the standard normal curve between  $z = 0$  and  $z = 1.15$ .
2. Find the  $z$ -scores that correspond to an area of 0.0948.

► **Solution**

1. Find the area that corresponds to  $z = 1.15$  by finding 1.1 in the left column and then moving across the row to the column under 0.05. The number in that row and column is 0.3749. So, the area between  $z = 0$  and  $z = 1.15$  is 0.3749.

$z$	.00	.01	.02	.03	.04	.05	.06
0.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239
0.1	.0398	.0438	.0478	.0517	.0557	.0596	.0636
0.2	.0793	.0832	.0871	.0910	.0948	.0987	.1026
0.3	.1179	.1217	.1255	.1293	.1331	.1368	.1406

0.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962
1.3	.4032	.4049	.4066	.4082	.4099	.4115	.4131
1.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279

2. Find the  $z$ -scores that correspond to an area of 0.0948 by locating 0.0948 in the table. The values at the beginning of the corresponding row and at the top of the corresponding column give the  $z$ -score. For an area of 0.0948, the row value is 0.2 and the column value is 0.04. So, the  $z$ -scores are  $z = -0.24$  and  $z = 0.24$ .

$z$	.00	.01	.02	.03	.04	.05	.06
0.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239
0.1	.0398	.0438	.0478	.0517	.0557	.0596	.0636
0.2	.0793	.0832	.0871	.0910	.0948	.0987	.1026
0.3	.1179	.1217	.1255	.1293	.1331	.1368	.1406
0.4	.1554	.1591	.1628	.1664	.1700	.1736	.1772
0.5	.1915	.1950	.1985	.2019	.2054	.2088	.2123

► **Try It Yourself 1**

1. Find the area under the standard normal curve between  $z = 0$  and  $z = 2.19$ . Locate the given  $z$ -score and *find the corresponding area* in the Standard Normal Table (0-to- $z$ ) on page A1.
2. Find the  $z$ -scores that correspond to an area of 0.4850. Locate the given area in the Standard Normal Table (0-to- $z$ ) on page A1 and *find the corresponding  $z$ -score*.

*Answer: Page A49*

Use the following guidelines to find various types of areas under the standard normal curve.


**GUIDELINES**

**Finding Areas Under the Standard Normal Curve**


1. Sketch the standard normal curve and shade the appropriate area under the curve.
2. Use the Standard Normal Table (0-to- $z$ ) on page A1 to find the area that corresponds to the given  $z$ -score(s).
3. Find the desired area by following the directions for each case shown.

**a. Area to the left of  $z$**

i. When  $z < 0$ , *subtract* the area from 0.5.




ii. When  $z > 0$ , *add* 0.5 to the area.




**b. Area to the right of  $z$**

i. When  $z < 0$ , *add* 0.5 to the area.




ii. When  $z > 0$ , *subtract* the area from 0.5.




**c. Area between two  $z$ -scores**

i. When the two  $z$ -scores have the same sign (both positive or both negative), *subtract* the smaller area from the larger area.



ii. When the two  $z$ -scores have opposite signs (one negative and one positive), *add* the areas.




## EXAMPLE 2

## ▶ Finding Area Under the Standard Normal Curve

Find the area under the standard normal curve to the left of  $z = -0.99$ .

## ▶ Solution

The area under the standard normal curve to the left of  $z = -0.99$  is shown.



From the Standard Normal Table (0-to- $z$ ), the area corresponding to  $z = -0.99$  is 0.3389. Because the area to the left of  $z = 0$  is 0.5, the area to the left of  $z = -0.99$  is  $0.5 - 0.3389 = 0.1611$ .

## ▶ Try It Yourself 2

Find the area under the standard normal curve to the left of  $z = 2.13$ .

- Draw the standard normal curve and shade the area under the curve and to the left of  $z = 2.13$ .
- Use the Standard Normal Table (0-to- $z$ ) on page A1 to find the area that corresponds to  $z = 2.13$ .
- Add 0.5 to the resulting area.

*Answer: Page A49*

## INSIGHT

Because the normal distribution is a continuous probability distribution, the area under the standard normal curve to the left of a  $z$ -score gives the probability that  $z$  is less than that  $z$ -score. For instance, in Example 2, the area to the left of  $z = -0.99$  is 0.1611. So,  $P(z < -0.99) = 0.1611$ , which is read as “the probability that  $z$  is less than  $-0.99$  is 0.1611.”




## EXAMPLE 3

## ▶ Finding Area Under the Standard Normal Curve

Find the area under the standard normal curve to the right of  $z = 1.06$ .

## ▶ Solution

The area under the standard normal curve to the right of  $z = 1.06$  is shown.



From the Standard Normal Table (0-to- $z$ ), the area corresponding to  $z = 1.06$  is 0.3554. Because the area to the right of  $z = 0$  is 0.5, the area to the right of  $z = 1.06$  is  $0.5 - 0.3554 = 0.1446$ .




## PICTURING THE WORLD

According to one publication, the number of births in a recent year was 4,317,000. The weights of the newborns can be approximated by a normal distribution, as shown by the following graph.

(Adapted from National Center for Health Statistics)

Weights of Newborns



*Find the  $z$ -scores that correspond to weights of 2000, 3000, and 4000 grams. Are any of these unusually heavy or light?*

### ▶ Try It Yourself 3

Find the area under the standard normal curve to the right of  $z = -2.16$ .

- Draw the standard normal curve and shade the area below the curve and to the right of  $z = -2.16$ .
- Use the Standard Normal Table (0-to- $z$ ) on page A1 to *find the area* that corresponds to  $z = -2.16$ .
- Add 0.5 to the resulting area.

*Answer: Page A49*


## EXAMPLE 4

### ▶ Finding Area Under the Standard Normal Curve

Find the area under the standard normal curve between  $z = -1.5$  and  $z = 1.25$ .

### ▶ Solution

The area under the standard normal curve between  $z = -1.5$  and  $z = 1.25$  is shown.



From the Standard Normal Table, the area corresponding to  $z = -1.5$  is 0.4332 and the area corresponding to  $z = 1.25$  is 0.3944. To find the area between these two  $z$ -scores, add the resulting areas.

$$\text{Area} = 0.4332 + 0.3944 = 0.8276$$

**Interpretation** So, 82.76% of the area under the curve falls between  $z = -1.5$  and  $z = 1.25$ .

### ▶ Try It Yourself 4

Find the area under the standard normal curve between  $z = -2.165$  and  $z = -1.35$ .

- Draw the standard normal curve and shade the area below the curve that is between  $z = -2.165$  and  $z = -1.35$ .
- Use the Standard Normal Table (0-to- $z$ ) on page A1 to *find the areas* that correspond to  $z = -2.165$  and to  $z = -1.35$ .
- Subtract* the smaller area from the larger area.

*Answer: Page A49*

Recall that in Section 2.5 you learned, using the Empirical Rule, that values lying more than two standard deviations from the mean are considered unusual. Values lying more than three standard deviations from the mean are considered *very* unusual. So, if a  $z$ -score is greater than 2 or less than  $-2$ , it is unusual. If a  $z$ -score is greater than 3 or less than  $-3$ , it is *very* unusual.

# APPENDIX B

**Table 1—Random Numbers**

92630	78240	19267	95457	53497	23894	37708	79862	76471	66418
79445	78735	71549	44843	26104	67318	00701	34986	66751	99723
59654	71966	27386	50004	05358	94031	29281	18544	52429	06080
31524	49587	76612	39789	13537	48086	59483	60680	84675	53014
06348	76938	90379	51392	55887	71015	09209	79157	24440	30244
28703	51709	94456	48396	73780	06436	86641	69239	57662	80181
68108	89266	94730	95761	75023	48464	65544	96583	18911	16391
99938	90704	93621	66330	33393	95261	95349	51769	91616	33238
91543	73196	34449	63513	83834	99411	58826	40456	69268	48562
42103	02781	73920	56297	72678	12249	25270	36678	21313	75767
17138	27584	25296	28387	51350	61664	37893	05363	44143	42677
28297	14280	54524	21618	95320	38174	60579	08089	94999	78460
09331	56712	51333	06289	75345	08811	82711	57392	25252	30333
31295	04204	93712	51287	05754	79396	87399	51773	33075	97061
36146	15560	27592	42089	99281	59640	15221	96079	09961	05371
29553	18432	13630	05529	02791	81017	49027	79031	50912	09399
23501	22642	63081	08191	89420	67800	55137	54707	32945	64522
57888	85846	67967	07835	11314	01545	48535	17142	08552	67457
55336	71264	88472	04334	63919	36394	11196	92470	70543	29776
10087	10072	55980	64688	68239	20461	89381	93809	00796	95945
34101	81277	66090	88872	37818	72142	67140	50785	21380	16703
53362	44940	60430	22834	14130	96593	23298	56203	92671	15925
82975	66158	84731	19436	55790	69229	28661	13675	99318	76873
54827	84673	22898	08094	14326	87038	42892	21127	30712	48489
25464	59098	27436	89421	80754	89924	19097	67737	80368	08795
67609	60214	41475	84950	40133	02546	09570	45682	50165	15609
44921	70924	61295	51137	47596	86735	35561	76649	18217	63446
33170	30972	98130	95828	49786	13301	36081	80761	33985	68621
84687	85445	06208	17654	51333	02878	35010	67578	61574	20749
71886	56450	36567	09395	96951	35507	17555	35212	69106	01679
00475	02224	74722	14721	40215	21351	08596	45625	83981	63748
25993	38881	68361	59560	41274	69742	40703	37993	03435	18873
92882	53178	99195	93803	56985	53089	15305	50522	55900	43026
25138	26810	07093	15677	60688	04410	24505	37890	67186	62829
84631	71882	12991	83028	82484	90339	91950	74579	03539	90122
34003	92326	12793	61453	48121	74271	28363	66561	75220	35908
53775	45749	05734	86169	42762	70175	97310	73894	88606	19994
59316	97885	72807	54966	60859	11932	35265	71601	55577	67715
20479	66557	50705	26999	09854	52591	14063	30214	19890	19292
86180	84931	25455	26044	02227	52015	21820	50599	51671	65411
21451	68001	72710	40261	61281	13172	63819	48970	51732	54113
98062	68375	80089	24135	72355	95428	11808	29740	81644	86610
01788	64429	14430	94575	75153	94576	61393	96192	03227	32258
62465	04841	43272	68702	01274	05437	22953	18946	99053	41690
94324	31089	84159	92933	99989	89500	91586	02802	69471	68274
05797	43984	21575	09908	70221	19791	51578	36432	33494	79888
10395	14289	52185	09721	25789	38562	54794	04897	59012	89251
35177	56986	25549	59730	64718	52630	31100	62384	49483	11409
25633	89619	75882	98256	02126	72099	57183	55887	09320	73463
16464	48280	94254	45777	45150	68865	11382	11782	22695	41988

Reprinted from *A Million Random Digits with 100,000 Normal Deviates* by the Rand Corporation (New York: The Free Press, 1955). Copyright 1955 and 1983 by the Rand Corporation. Used by permission.

**Table 2— Binomial Distribution**

This table shows the probability of  $x$  successes in  $n$  independent trials, each with probability of success  $p$ .

$n$	$x$	$p$																			
		.01	.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	.55	.60	.65	.70	.75	.80	.85	.90	.95
2	0	.980	.902	.810	.723	.640	.563	.490	.423	.360	.303	.250	.203	.160	.123	.090	.063	.040	.023	.010	.002
	1	.020	.095	.180	.255	.320	.375	.420	.455	.480	.495	.500	.495	.480	.455	.420	.375	.320	.255	.180	.095
	2	.000	.002	.010	.023	.040	.063	.090	.123	.160	.203	.250	.303	.360	.423	.490	.563	.640	.723	.810	.902
3	0	.970	.857	.729	.614	.512	.422	.343	.275	.216	.166	.125	.091	.064	.043	.027	.016	.008	.003	.001	.000
	1	.029	.135	.243	.325	.384	.422	.441	.444	.432	.408	.375	.334	.288	.239	.189	.141	.096	.057	.027	.007
	2	.000	.007	.027	.057	.096	.141	.189	.239	.288	.334	.375	.408	.432	.444	.441	.422	.384	.325	.243	.135
	3	.000	.000	.001	.003	.008	.016	.027	.043	.064	.091	.125	.166	.216	.275	.343	.422	.512	.614	.729	.857
4	0	.961	.815	.656	.522	.410	.316	.240	.179	.130	.092	.062	.041	.026	.015	.008	.004	.002	.001	.000	.000
	1	.039	.171	.292	.368	.410	.422	.412	.384	.346	.300	.250	.200	.154	.112	.076	.047	.026	.011	.004	.000
	2	.001	.014	.049	.098	.154	.211	.265	.311	.346	.368	.375	.368	.346	.311	.265	.211	.154	.098	.049	.014
	3	.000	.000	.004	.011	.026	.047	.076	.112	.154	.200	.250	.300	.346	.384	.412	.422	.410	.368	.292	.171
	4	.000	.000	.000	.001	.002	.004	.008	.015	.026	.041	.062	.092	.130	.179	.240	.316	.410	.522	.656	.815
5	0	.951	.774	.590	.444	.328	.237	.168	.116	.078	.050	.031	.019	.010	.005	.002	.001	.000	.000	.000	.000
	1	.048	.204	.328	.392	.410	.396	.360	.312	.259	.206	.156	.113	.077	.049	.028	.015	.006	.002	.000	.000
	2	.001	.021	.073	.138	.205	.264	.309	.336	.346	.337	.312	.276	.230	.181	.132	.088	.051	.024	.008	.001
	3	.000	.001	.008	.024	.051	.088	.132	.181	.230	.276	.312	.337	.346	.336	.309	.264	.205	.138	.073	.021
	4	.000	.000	.000	.002	.006	.015	.028	.049	.077	.113	.156	.206	.259	.312	.360	.396	.410	.392	.328	.204
	5	.000	.000	.000	.000	.000	.001	.002	.005	.010	.019	.031	.050	.078	.116	.168	.237	.328	.444	.590	.774
6	0	.941	.735	.531	.377	.262	.178	.118	.075	.047	.028	.016	.008	.004	.002	.001	.000	.000	.000	.000	.000
	1	.057	.232	.354	.399	.393	.356	.303	.244	.187	.136	.094	.061	.037	.020	.010	.004	.002	.000	.000	.000
	2	.001	.031	.098	.176	.246	.297	.324	.328	.311	.278	.234	.186	.138	.095	.060	.033	.015	.006	.001	.000
	3	.000	.002	.015	.042	.082	.132	.185	.236	.276	.303	.312	.303	.276	.236	.185	.132	.082	.042	.015	.002
	4	.000	.000	.001	.006	.015	.033	.060	.095	.138	.186	.234	.278	.311	.328	.324	.297	.246	.176	.098	.031
	5	.000	.000	.000	.000	.002	.004	.010	.020	.037	.061	.094	.136	.187	.244	.303	.356	.393	.399	.354	.232
	6	.000	.000	.000	.000	.000	.000	.001	.002	.004	.008	.016	.028	.047	.075	.118	.178	.262	.377	.531	.735
7	0	.932	.698	.478	.321	.210	.133	.082	.049	.028	.015	.008	.004	.002	.001	.000	.000	.000	.000	.000	.000
	1	.066	.257	.372	.396	.367	.311	.247	.185	.131	.087	.055	.032	.017	.008	.004	.001	.000	.000	.000	.000
	2	.002	.041	.124	.210	.275	.311	.318	.299	.261	.214	.164	.117	.077	.047	.025	.012	.004	.001	.000	.000
	3	.000	.004	.023	.062	.115	.173	.227	.268	.290	.292	.273	.239	.194	.144	.097	.058	.029	.011	.003	.000
	4	.000	.000	.003	.011	.029	.058	.097	.144	.194	.239	.273	.292	.290	.268	.227	.173	.115	.062	.023	.004
	5	.000	.000	.000	.001	.004	.012	.025	.047	.077	.117	.164	.214	.261	.299	.318	.311	.275	.210	.124	.041
	6	.000	.000	.000	.000	.000	.001	.004	.008	.017	.032	.055	.087	.131	.185	.247	.311	.367	.396	.372	.257
	7	.000	.000	.000	.000	.000	.000	.000	.001	.002	.004	.008	.015	.028	.049	.082	.133	.210	.321	.478	.698
8	0	.923	.663	.430	.272	.168	.100	.058	.032	.017	.008	.004	.002	.001	.000	.000	.000	.000	.000	.000	.000
	1	.075	.279	.383	.385	.336	.267	.198	.137	.090	.055	.031	.016	.008	.003	.001	.000	.000	.000	.000	.000
	2	.003	.051	.149	.238	.294	.311	.296	.259	.209	.157	.109	.070	.041	.022	.010	.004	.001	.000	.000	.000
	3	.000	.005	.033	.084	.147	.208	.254	.279	.279	.257	.219	.172	.124	.081	.047	.023	.009	.003	.000	.000
	4	.000	.000	.005	.018	.046	.087	.136	.188	.232	.263	.273	.263	.232	.188	.136	.087	.046	.018	.005	.000
	5	.000	.000	.000	.003	.009	.023	.047	.081	.124	.172	.219	.257	.279	.279	.254	.208	.147	.084	.033	.005
	6	.000	.000	.000	.000	.001	.004	.010	.022	.041	.070	.109	.157	.209	.259	.296	.311	.294	.238	.149	.051
	7	.000	.000	.000	.000	.000	.000	.001	.003	.008	.016	.031	.055	.090	.137	.198	.267	.336	.385	.383	.279
	8	.000	.000	.000	.000	.000	.000	.000	.001	.002	.004	.008	.017	.032	.058	.100	.168	.272	.430	.663	
9	0	.914	.630	.387	.232	.134	.075	.040	.021	.010	.005	.002	.001	.000	.000	.000	.000	.000	.000	.000	.000
	1	.083	.299	.387	.368	.302	.225	.156	.100	.060	.034	.018	.008	.004	.001	.000	.000	.000	.000	.000	.000
	2	.003	.063	.172	.260	.302	.300	.267	.216	.161	.111	.070	.041	.021	.010	.004	.001	.000	.000	.000	.000
	3	.000	.008	.045	.107	.176	.234	.267	.272	.251	.212	.164	.116	.074	.042	.021	.009	.003	.001	.000	.000
	4	.000	.001	.007	.028	.066	.117	.172	.219	.251	.260	.246	.213	.167	.118	.074	.039	.017	.005	.001	.000
	5	.000	.000	.001	.005	.017	.039	.074	.118	.167	.213	.246	.260	.251	.219	.172	.117	.066	.028	.007	.001
	6	.000	.000	.000	.001	.003	.009	.021	.042	.074	.116	.164	.212	.251	.272	.267	.234	.176	.107	.045	.008
	7	.000	.000	.000	.000	.000	.001	.004	.010	.021	.041	.070	.111	.161	.216	.267	.300	.302	.260	.172	.063
	8	.000	.000	.000	.000	.000	.000	.000	.001	.004	.008	.018	.034	.060	.100	.156	.225	.302	.368	.387	.299
	9	.000	.000	.000	.000	.000	.000	.000	.000	.001	.002	.005	.010	.021	.040	.075	.134	.232	.387	.630	

From Brase/Brase, *Understandable Statistics*, Sixth Edition. Copyright (c) 1999 by Houghton Mifflin Company. Reprinted with permission from Cengage Learning, Inc.

Table 2—Binomial Distribution (continued)

		<i>p</i>																			
<i>n</i>	<i>x</i>	.01	.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	.55	.60	.65	.70	.75	.80	.85	.90	.95
10	0	.904	.599	.349	.197	.107	.056	.028	.014	.006	.003	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000
	1	.091	.315	.387	.347	.268	.188	.121	.072	.040	.021	.010	.004	.002	.000	.000	.000	.000	.000	.000	.000
	2	.004	.075	.194	.276	.302	.282	.233	.176	.121	.076	.044	.023	.011	.004	.001	.000	.000	.000	.000	.000
	3	.000	.010	.057	.130	.201	.250	.267	.252	.215	.166	.117	.075	.042	.021	.009	.003	.001	.000	.000	.000
	4	.000	.001	.011	.040	.088	.146	.200	.238	.251	.238	.205	.160	.111	.069	.037	.016	.006	.001	.000	.000
	5	.000	.000	.001	.008	.026	.058	.103	.154	.201	.234	.246	.234	.201	.154	.103	.058	.026	.008	.001	.000
	6	.000	.000	.000	.001	.006	.016	.037	.069	.111	.160	.205	.238	.251	.238	.200	.146	.088	.040	.011	.001
	7	.000	.000	.000	.000	.001	.003	.009	.021	.042	.075	.117	.166	.215	.252	.267	.250	.201	.130	.057	.010
	8	.000	.000	.000	.000	.000	.000	.001	.004	.011	.023	.044	.076	.121	.176	.233	.282	.302	.276	.194	.075
	9	.000	.000	.000	.000	.000	.000	.000	.000	.002	.004	.010	.021	.040	.072	.121	.188	.268	.347	.387	.315
	10	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.003	.006	.014	.028	.056	.107	.197	.349	.599
11	0	.895	.569	.314	.167	.086	.042	.020	.009	.004	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	1	.099	.329	.384	.325	.236	.155	.093	.052	.027	.013	.005	.002	.001	.000	.000	.000	.000	.000	.000	.000
	2	.005	.087	.213	.287	.295	.258	.200	.140	.089	.051	.027	.013	.005	.002	.001	.000	.000	.000	.000	.000
	3	.000	.014	.071	.152	.221	.258	.257	.225	.177	.126	.081	.046	.023	.010	.004	.001	.000	.000	.000	.000
	4	.000	.001	.016	.054	.111	.172	.220	.243	.236	.206	.161	.113	.070	.038	.017	.006	.002	.000	.000	.000
	5	.000	.000	.002	.013	.039	.080	.132	.183	.221	.236	.226	.193	.147	.099	.057	.027	.010	.002	.000	.000
	6	.000	.000	.000	.002	.010	.027	.057	.099	.147	.193	.226	.236	.221	.183	.132	.080	.039	.013	.002	.000
	7	.000	.000	.000	.000	.002	.006	.017	.038	.070	.113	.161	.206	.236	.243	.220	.172	.111	.054	.016	.001
	8	.000	.000	.000	.000	.000	.001	.004	.010	.023	.046	.081	.126	.177	.225	.257	.258	.221	.152	.071	.014
	9	.000	.000	.000	.000	.000	.000	.001	.002	.005	.013	.027	.051	.089	.140	.200	.258	.295	.287	.213	.087
	10	.000	.000	.000	.000	.000	.000	.000	.000	.001	.002	.005	.013	.027	.052	.093	.155	.236	.325	.384	.329
	11	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.004	.009	.020	.042	.086	.167	.314	.569	
12	0	.886	.540	.282	.142	.069	.032	.014	.006	.002	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	1	.107	.341	.377	.301	.206	.127	.071	.037	.017	.008	.003	.001	.000	.000	.000	.000	.000	.000	.000	.000
	2	.006	.099	.230	.292	.283	.232	.168	.109	.064	.034	.016	.007	.002	.001	.000	.000	.000	.000	.000	.000
	3	.000	.017	.085	.172	.236	.258	.240	.195	.142	.092	.054	.028	.012	.005	.001	.000	.000	.000	.000	.000
	4	.000	.002	.021	.068	.133	.194	.231	.237	.213	.170	.121	.076	.042	.020	.008	.002	.001	.000	.000	.000
	5	.000	.000	.004	.019	.053	.103	.158	.204	.227	.223	.193	.149	.101	.059	.029	.011	.003	.001	.000	.000
	6	.000	.000	.000	.004	.016	.040	.079	.128	.177	.212	.226	.212	.177	.128	.079	.040	.016	.004	.000	.000
	7	.000	.000	.000	.001	.003	.011	.029	.059	.101	.149	.193	.223	.227	.204	.158	.103	.053	.019	.004	.000
	8	.000	.000	.000	.000	.001	.002	.008	.020	.042	.076	.121	.170	.213	.237	.231	.194	.133	.068	.021	.002
	9	.000	.000	.000	.000	.000	.000	.001	.005	.012	.028	.054	.092	.142	.195	.240	.258	.236	.172	.085	.017
	10	.000	.000	.000	.000	.000	.000	.000	.001	.002	.007	.016	.034	.064	.109	.168	.232	.283	.292	.230	.099
	11	.000	.000	.000	.000	.000	.000	.000	.000	.001	.003	.008	.017	.037	.071	.127	.206	.301	.377	.341	
	12	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.002	.006	.014	.032	.069	.142	.282	.540
15	0	.860	.463	.206	.087	.035	.013	.005	.002	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	1	.130	.366	.343	.231	.132	.067	.031	.013	.005	.002	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	2	.009	.135	.267	.286	.231	.156	.092	.048	.022	.009	.003	.001	.000	.000	.000	.000	.000	.000	.000	.000
	3	.000	.031	.129	.218	.250	.225	.170	.111	.063	.032	.014	.005	.002	.000	.000	.000	.000	.000	.000	.000
	4	.000	.005	.043	.116	.188	.225	.219	.179	.127	.078	.042	.019	.007	.002	.001	.000	.000	.000	.000	.000
	5	.000	.001	.010	.045	.103	.165	.206	.212	.186	.140	.092	.051	.024	.010	.003	.001	.000	.000	.000	.000
	6	.000	.000	.002	.013	.043	.092	.147	.191	.207	.191	.153	.105	.061	.030	.012	.003	.001	.000	.000	.000
	7	.000	.000	.000	.003	.014	.039	.081	.132	.177	.201	.196	.165	.118	.071	.035	.013	.003	.001	.000	.000
	8	.000	.000	.000	.001	.003	.013	.035	.071	.118	.165	.196	.201	.177	.132	.081	.039	.014	.003	.000	.000
	9	.000	.000	.000	.000	.001	.003	.012	.030	.061	.105	.153	.191	.207	.191	.147	.092	.043	.013	.002	.000
	10	.000	.000	.000	.000	.000	.001	.003	.010	.024	.051	.092	.140	.186	.212	.206	.165	.103	.045	.010	.001
	11	.000	.000	.000	.000	.000	.000	.001	.002	.007	.019	.042	.078	.127	.179	.219	.225	.188	.116	.043	.005
	12	.000	.000	.000	.000	.000	.000	.000	.000	.002	.005	.014	.032	.063	.111	.170	.225	.250	.218	.129	.031
	13	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.003	.009	.022	.048	.092	.156	.231	.286	.267	.135
	14	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.002	.005	.013	.031	.067	.132	.231	.343	.366
	15	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.002	.005	.013	.035	.087	.206	.463



Table 2— Binomial Distribution (continued)

n	x	p																			
		.01	.05	.10	.15	.20	.25	.30	.35	.40	.45	.50	.55	.60	.65	.70	.75	.80	.85	.90	.95
16	0	.851	.440	.185	.074	.028	.010	.003	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	1	.138	.371	.329	.210	.113	.053	.023	.009	.003	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	2	.010	.146	.275	.277	.211	.134	.073	.035	.015	.006	.002	.001	.000	.000	.000	.000	.000	.000	.000	.000
	3	.000	.036	.142	.229	.246	.208	.146	.089	.047	.022	.009	.003	.001	.000	.000	.000	.000	.000	.000	.000
	4	.000	.006	.051	.131	.200	.225	.204	.155	.101	.057	.028	.011	.004	.001	.000	.000	.000	.000	.000	.000
	5	.000	.001	.014	.056	.120	.180	.210	.201	.162	.112	.067	.034	.014	.005	.001	.000	.000	.000	.000	.000
	6	.000	.000	.003	.018	.055	.110	.165	.198	.198	.168	.122	.075	.039	.017	.006	.001	.000	.000	.000	.000
	7	.000	.000	.000	.005	.020	.052	.101	.152	.189	.197	.175	.132	.084	.044	.019	.006	.001	.000	.000	.000
	8	.000	.000	.000	.001	.006	.020	.049	.092	.142	.181	.196	.181	.142	.092	.049	.020	.006	.001	.000	.000
	9	.000	.000	.000	.000	.001	.006	.019	.044	.084	.132	.175	.197	.189	.152	.101	.052	.020	.005	.000	.000
	10	.000	.000	.000	.000	.000	.001	.006	.017	.039	.075	.122	.168	.198	.198	.165	.110	.055	.018	.003	.000
	11	.000	.000	.000	.000	.000	.000	.001	.005	.014	.034	.067	.112	.162	.201	.210	.180	.120	.056	.014	.001
	12	.000	.000	.000	.000	.000	.000	.000	.001	.004	.011	.028	.057	.101	.155	.204	.225	.200	.131	.051	.006
	13	.000	.000	.000	.000	.000	.000	.000	.000	.001	.003	.009	.022	.047	.089	.146	.208	.246	.229	.142	.036
	14	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.002	.006	.015	.035	.073	.134	.211	.277	.275	.146
	15	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.003	.009	.023	.053	.113	.210	.329	.371
	16	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.003	.010	.028	.074	.185	.440
20	0	.818	.358	.122	.039	.012	.003	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	1	.165	.377	.270	.137	.058	.021	.007	.002	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	2	.016	.189	.285	.229	.137	.067	.028	.010	.003	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000
	3	.001	.060	.190	.243	.205	.134	.072	.032	.012	.004	.001	.000	.000	.000	.000	.000	.000	.000	.000	.000
	4	.000	.013	.090	.182	.218	.190	.130	.074	.035	.014	.005	.001	.000	.000	.000	.000	.000	.000	.000	.000
	5	.000	.002	.032	.103	.175	.202	.179	.127	.075	.036	.015	.005	.001	.000	.000	.000	.000	.000	.000	.000
	6	.000	.000	.009	.045	.109	.169	.192	.171	.124	.075	.036	.015	.005	.001	.000	.000	.000	.000	.000	.000
	7	.000	.000	.002	.016	.055	.112	.164	.184	.166	.122	.074	.037	.015	.005	.001	.000	.000	.000	.000	.000
	8	.000	.000	.000	.005	.022	.061	.114	.161	.180	.162	.120	.073	.035	.014	.004	.001	.000	.000	.000	.000
	9	.000	.000	.000	.001	.007	.027	.065	.116	.160	.177	.160	.119	.071	.034	.012	.003	.000	.000	.000	.000
	10	.000	.000	.000	.000	.002	.010	.031	.069	.117	.159	.176	.159	.117	.069	.031	.010	.002	.000	.000	.000
	11	.000	.000	.000	.000	.000	.003	.012	.034	.071	.119	.160	.177	.160	.116	.065	.027	.007	.001	.000	.000
	12	.000	.000	.000	.000	.000	.001	.004	.014	.035	.073	.120	.162	.180	.161	.114	.061	.022	.005	.000	.000
	13	.000	.000	.000	.000	.000	.000	.001	.005	.015	.037	.074	.122	.166	.184	.164	.112	.055	.016	.002	.000
	14	.000	.000	.000	.000	.000	.000	.000	.001	.005	.015	.037	.075	.124	.171	.192	.169	.109	.045	.009	.000
	15	.000	.000	.000	.000	.000	.000	.000	.000	.001	.005	.015	.036	.075	.127	.179	.202	.175	.103	.032	.002
	16	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.005	.014	.035	.074	.130	.190	.218	.182	.090	.013
	17	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.004	.012	.032	.072	.134	.205	.243	.190	.060
	18	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.003	.010	.028	.067	.137	.229	.285	.189
	19	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.002	.007	.021	.058	.137	.270	.377
	20	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.000	.001	.003	.012	.039	.122	.358

Table 3—Poisson Distribution

x	$\mu$									
	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1.0
0	.9048	.8187	.7408	.6703	.6065	.5488	.4966	.4493	.4066	.3679
1	.0905	.1637	.2222	.2681	.3033	.3293	.3476	.3595	.3659	.3679
2	.0045	.0164	.0333	.0536	.0758	.0988	.1217	.1438	.1647	.1839
3	.0002	.0011	.0033	.0072	.0126	.0198	.0284	.0383	.0494	.0613
4	.0000	.0001	.0003	.0007	.0016	.0030	.0050	.0077	.0111	.0153
5	.0000	.0000	.0000	.0001	.0002	.0004	.0007	.0012	.0020	.0031
6	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0002	.0003	.0005
7	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001
x	$\mu$									
	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9	2.0
0	.3329	.3012	.2725	.2466	.2231	.2019	.1827	.1653	.1496	.1353
1	.3662	.3614	.3543	.3452	.3347	.3230	.3106	.2975	.2842	.2707
2	.2014	.2169	.2303	.2417	.2510	.2584	.2640	.2678	.2700	.2707
3	.0738	.0867	.0998	.1128	.1255	.1378	.1496	.1607	.1710	.1804
4	.0203	.0260	.0324	.0395	.0471	.0551	.0636	.0723	.0812	.0902
5	.0045	.0062	.0084	.0111	.0141	.0176	.0216	.0260	.0309	.0361
6	.0008	.0012	.0018	.0026	.0035	.0047	.0061	.0078	.0098	.0120
7	.0001	.0002	.0003	.0005	.0008	.0011	.0015	.0020	.0027	.0034
8	.0000	.0000	.0001	.0001	.0001	.0002	.0003	.0005	.0006	.0009
9	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0002
x	$\mu$									
	2.1	2.2	2.3	2.4	2.5	2.6	2.7	2.8	2.9	3.0
0	.1225	.1108	.1003	.0907	.0821	.0743	.0672	.0608	.0550	.0498
1	.2572	.2438	.2306	.2177	.2052	.1931	.1815	.1703	.1596	.1494
2	.2700	.2681	.2652	.2613	.2565	.2510	.2450	.2384	.2314	.2240
3	.1890	.1966	.2033	.2090	.2138	.2176	.2205	.2225	.2237	.2240
4	.0992	.1082	.1169	.1254	.1336	.1414	.1488	.1557	.1622	.1680
5	.0417	.0476	.0538	.0602	.0668	.0735	.0804	.0872	.0940	.1008
6	.0146	.0174	.0206	.0241	.0278	.0319	.0362	.0407	.0455	.0504
7	.0044	.0055	.0068	.0083	.0099	.0118	.0139	.0163	.0188	.0216
8	.0011	.0015	.0019	.0025	.0031	.0038	.0047	.0057	.0068	.0081
9	.0003	.0004	.0005	.0007	.0009	.0011	.0014	.0018	.0022	.0027
10	.0001	.0001	.0001	.0002	.0002	.0003	.0004	.0005	.0006	.0008
11	.0000	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0002	.0002
12	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001
x	$\mu$									
	3.1	3.2	3.3	3.4	3.5	3.6	3.7	3.8	3.9	4.0
0	.0450	.0408	.0369	.0334	.0302	.0273	.0247	.0224	.0202	.0183
1	.1397	.1304	.1217	.1135	.1057	.0984	.0915	.0850	.0789	.0733
2	.2165	.2087	.2008	.1929	.1850	.1771	.1692	.1615	.1539	.1465
3	.2237	.2226	.2209	.2186	.2158	.2125	.2087	.2046	.2001	.1954
4	.1734	.1781	.1823	.1858	.1888	.1912	.1931	.1944	.1951	.1954
5	.1075	.1140	.1203	.1264	.1322	.1377	.1429	.1477	.1522	.1563
6	.0555	.0608	.0662	.0716	.0771	.0826	.0881	.0936	.0989	.1042
7	.0246	.0278	.0312	.0348	.0385	.0425	.0466	.0508	.0551	.0595
8	.0095	.0111	.0129	.0148	.0169	.0191	.0215	.0241	.0269	.0298
9	.0033	.0040	.0047	.0056	.0066	.0076	.0089	.0102	.0116	.0132
10	.0010	.0013	.0016	.0019	.0023	.0028	.0033	.0039	.0045	.0053
11	.0003	.0004	.0005	.0006	.0007	.0009	.0011	.0013	.0016	.0019
12	.0001	.0001	.0001	.0002	.0002	.0003	.0003	.0004	.0005	.0006
13	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0002	.0002
14	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001

Reprinted with permission from W. H. Beyer, *Handbook of Tables for Probability and Statistics*, 2e, CRC Press, Boca Raton, Florida, 1986.

**Table 3— Poisson Distribution (continued)**

<b>x</b>	<b><math>\mu</math></b>									
	<b>4.1</b>	<b>4.2</b>	<b>4.3</b>	<b>4.4</b>	<b>4.5</b>	<b>4.6</b>	<b>4.7</b>	<b>4.8</b>	<b>4.9</b>	<b>5.0</b>
0	.0166	.0150	.0136	.0123	.0111	.0101	.0091	.0082	.0074	.0067
1	.0679	.0630	.0583	.0540	.0500	.0462	.0427	.0395	.0365	.0337
2	.1393	.1323	.1254	.1188	.1125	.1063	.1005	.0948	.0894	.0842
3	.1904	.1852	.1798	.1743	.1687	.1631	.1574	.1517	.1460	.1404
4	.1951	.1944	.1933	.1917	.1898	.1875	.1849	.1820	.1789	.1755
5	.1600	.1633	.1662	.1687	.1708	.1725	.1738	.1747	.1753	.1755
6	.1093	.1143	.1191	.1237	.1281	.1323	.1362	.1398	.1432	.1462
7	.0640	.0686	.0732	.0778	.0824	.0869	.0914	.0959	.1002	.1044
8	.0328	.0360	.0393	.0428	.0463	.0500	.0537	.0575	.0614	.0653
9	.0150	.0168	.0188	.0209	.0232	.0255	.0280	.0307	.0334	.0363
10	.0061	.0071	.0081	.0092	.0104	.0118	.0132	.0147	.0164	.0181
11	.0023	.0027	.0032	.0037	.0043	.0049	.0056	.0064	.0073	.0082
12	.0008	.0009	.0011	.0014	.0016	.0019	.0022	.0026	.0030	.0034
13	.0002	.0003	.0004	.0005	.0006	.0007	.0008	.0009	.0011	.0013
14	.0001	.0001	.0001	.0001	.0002	.0002	.0003	.0003	.0004	.0005
15	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0001	.0002
<b>x</b>	<b><math>\mu</math></b>									
	<b>5.1</b>	<b>5.2</b>	<b>5.3</b>	<b>5.4</b>	<b>5.5</b>	<b>5.6</b>	<b>5.7</b>	<b>5.8</b>	<b>5.9</b>	<b>6.0</b>
0	.0061	.0055	.0050	.0045	.0041	.0037	.0033	.0030	.0027	.0025
1	.0311	.0287	.0265	.0244	.0225	.0207	.0191	.0176	.0162	.0149
2	.0793	.0746	.0701	.0659	.0618	.0580	.0544	.0509	.0477	.0446
3	.1348	.1293	.1239	.1185	.1133	.1082	.1033	.0985	.0938	.0892
4	.1719	.1681	.1641	.1600	.1558	.1515	.1472	.1428	.1383	.1339
5	.1753	.1748	.1740	.1728	.1714	.1697	.1678	.1656	.1632	.1606
6	.1490	.1515	.1537	.1555	.1571	.1584	.1594	.1601	.1605	.1606
7	.1086	.1125	.1163	.1200	.1234	.1267	.1298	.1326	.1353	.1377
8	.0692	.0731	.0771	.0810	.0849	.0887	.0925	.0962	.0998	.1033
9	.0392	.0423	.0454	.0486	.0519	.0552	.0586	.0620	.0654	.0688
10	.0200	.0220	.0241	.0262	.0285	.0309	.0334	.0359	.0386	.0413
11	.0093	.0104	.0116	.0129	.0143	.0157	.0173	.0190	.0207	.0225
12	.0039	.0045	.0051	.0058	.0065	.0073	.0082	.0092	.0102	.0113
13	.0015	.0018	.0021	.0024	.0028	.0032	.0036	.0041	.0046	.0052
14	.0006	.0007	.0008	.0009	.0011	.0013	.0015	.0017	.0019	.0022
15	.0002	.0002	.0003	.0003	.0004	.0005	.0006	.0007	.0008	.0009
16	.0001	.0001	.0001	.0001	.0001	.0002	.0002	.0002	.0003	.0003
17	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001



Table 3—Poisson Distribution (continued)


<i>x</i>	$\mu$									
	8.1	8.2	8.3	8.4	8.5	8.6	8.7	8.8	8.9	9.0
0	.0003	.0003	.0002	.0002	.0002	.0002	.0002	.0002	.0001	.0001
1	.0025	.0023	.0021	.0019	.0017	.0016	.0014	.0013	.0012	.0011
2	.0100	.0092	.0086	.0079	.0074	.0068	.0063	.0058	.0054	.0050
3	.0269	.0252	.0237	.0222	.0208	.0195	.0183	.0171	.0160	.0150
4	.0544	.0517	.0491	.0466	.0443	.0420	.0398	.0377	.0357	.0337
5	.0882	.0849	.0816	.0784	.0752	.0722	.0692	.0663	.0635	.0607
6	.1191	.1160	.1128	.1097	.1066	.1034	.1003	.0972	.0941	.0911
7	.1378	.1358	.1338	.1317	.1294	.1271	.1247	.1222	.1197	.1171
8	.1395	.1392	.1388	.1382	.1375	.1366	.1356	.1344	.1332	.1318
9	.1256	.1269	.1280	.1290	.1299	.1306	.1311	.1315	.1317	.1318
10	.1017	.1040	.1063	.1084	.1104	.1123	.1140	.1157	.1172	.1186
11	.0749	.0776	.0802	.0828	.0853	.0878	.0902	.0925	.0948	.0970
12	.0505	.0530	.0555	.0579	.0604	.0629	.0654	.0679	.0703	.0728
13	.0315	.0334	.0354	.0374	.0395	.0416	.0438	.0459	.0481	.0504
14	.0182	.0196	.0210	.0225	.0240	.0256	.0272	.0289	.0306	.0324
15	.0098	.0107	.0116	.0126	.0136	.0147	.0158	.0169	.0182	.0194
16	.0050	.0055	.0060	.0066	.0072	.0079	.0086	.0093	.0101	.0109
17	.0024	.0026	.0029	.0033	.0036	.0040	.0044	.0048	.0053	.0058
18	.0011	.0012	.0014	.0015	.0017	.0019	.0021	.0024	.0026	.0029
19	.0005	.0005	.0006	.0007	.0008	.0009	.0010	.0011	.0012	.0014
20	.0002	.0002	.0002	.0003	.0003	.0004	.0004	.0005	.0005	.0006
21	.0001	.0001	.0001	.0001	.0001	.0002	.0002	.0002	.0002	.0003
22	.0000	.0000	.0000	.0000	.0001	.0001	.0001	.0001	.0001	.0001

<i>x</i>	$\mu$									
	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	9.9	10.0
0	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0000
1	.0010	.0009	.0009	.0008	.0007	.0007	.0006	.0005	.0005	.0005
2	.0046	.0043	.0040	.0037	.0034	.0031	.0029	.0027	.0025	.0023
3	.0140	.0131	.0123	.0115	.0107	.0100	.0093	.0087	.0081	.0076
4	.0319	.0302	.0285	.0269	.0254	.0240	.0226	.0213	.0201	.0189
5	.0581	.0555	.0530	.0506	.0483	.0460	.0439	.0418	.0398	.0378
6	.0881	.0851	.0822	.0793	.0764	.0736	.0709	.0682	.0656	.0631
7	.1145	.1118	.1091	.1064	.1037	.1010	.0982	.0955	.0928	.0901
8	.1302	.1286	.1269	.1251	.1232	.1212	.1191	.1170	.1148	.1126
9	.1317	.1315	.1311	.1306	.1300	.1293	.1284	.1274	.1263	.1251
10	.1198	.1210	.1219	.1228	.1235	.1241	.1245	.1249	.1250	.1251
11	.0991	.1012	.1031	.1049	.1067	.1083	.1098	.1112	.1125	.1137
12	.0752	.0776	.0799	.0822	.0844	.0866	.0888	.0908	.0928	.0948
13	.0526	.0549	.0572	.0594	.0617	.0640	.0662	.0685	.0707	.0729
14	.0342	.0361	.0380	.0399	.0419	.0439	.0459	.0479	.0500	.0521
15	.0208	.0221	.0235	.0250	.0265	.0281	.0297	.0313	.0330	.0347
16	.0118	.0127	.0137	.0147	.0157	.0168	.0180	.0192	.0204	.0217
17	.0063	.0069	.0075	.0081	.0088	.0095	.0103	.0111	.0119	.0128
18	.0032	.0035	.0039	.0042	.0046	.0051	.0055	.0060	.0065	.0071
19	.0015	.0017	.0019	.0021	.0023	.0026	.0028	.0031	.0034	.0037
20	.0007	.0008	.0009	.0010	.0011	.0012	.0014	.0015	.0017	.0019
21	.0003	.0003	.0004	.0004	.0005	.0006	.0006	.0007	.0008	.0009
22	.0001	.0001	.0002	.0002	.0002	.0002	.0003	.0003	.0004	.0004
23	.0000	.0001	.0001	.0001	.0001	.0001	.0001	.0001	.0002	.0002
24	.0000	.0000	.0000	.0000	.0000	.0000	.0000	.0001	.0001	.0001



Table 4—Standard Normal Distribution



<b>z</b>	<b>.09</b>	<b>.08</b>	<b>.07</b>	<b>.06</b>	<b>.05</b>	<b>.04</b>	<b>.03</b>	<b>.02</b>	<b>.01</b>	<b>.00</b>
-3.4	.0002	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003
-3.3	.0003	.0004	.0004	.0004	.0004	.0004	.0004	.0005	.0005	.0005
-3.2	.0005	.0005	.0005	.0006	.0006	.0006	.0006	.0006	.0007	.0007
-3.1	.0007	.0007	.0008	.0008	.0008	.0008	.0009	.0009	.0009	.0010
-3.0	.0010	.0010	.0011	.0011	.0011	.0012	.0012	.0013	.0013	.0013
-2.9	.0014	.0014	.0015	.0015	.0016	.0016	.0017	.0018	.0018	.0019
-2.8	.0019	.0020	.0021	.0021	.0022	.0023	.0023	.0024	.0025	.0026
-2.7	.0026	.0027	.0028	.0029	.0030	.0031	.0032	.0033	.0034	.0035
-2.6	.0036	.0037	.0038	.0039	.0040	.0041	.0043	.0044	.0045	.0047
-2.5	.0048	.0049	.0051	.0052	.0054	.0055	.0057	.0059	.0060	.0062
-2.4	.0064	.0066	.0068	.0069	.0071	.0073	.0075	.0078	.0080	.0082
-2.3	.0084	.0087	.0089	.0091	.0094	.0096	.0099	.0102	.0104	.0107
-2.2	.0110	.0113	.0116	.0119	.0122	.0125	.0129	.0132	.0136	.0139
-2.1	.0143	.0146	.0150	.0154	.0158	.0162	.0166	.0170	.0174	.0179
-2.0	.0183	.0188	.0192	.0197	.0202	.0207	.0212	.0217	.0222	.0228
-1.9	.0233	.0239	.0244	.0250	.0256	.0262	.0268	.0274	.0281	.0287
-1.8	.0294	.0301	.0307	.0314	.0322	.0329	.0336	.0344	.0351	.0359
-1.7	.0367	.0375	.0384	.0392	.0401	.0409	.0418	.0427	.0436	.0446
-1.6	.0455	.0465	.0475	.0485	.0495	.0505	.0516	.0526	.0537	.0548
-1.5	.0559	.0571	.0582	.0594	.0606	.0618	.0630	.0643	.0655	.0668
-1.4	.0681	.0694	.0708	.0721	.0735	.0749	.0764	.0778	.0793	.0808
-1.3	.0823	.0838	.0853	.0869	.0885	.0901	.0918	.0934	.0951	.0968
-1.2	.0985	.1003	.1020	.1038	.1056	.1075	.1093	.1112	.1131	.1151
-1.1	.1170	.1190	.1210	.1230	.1251	.1271	.1292	.1314	.1335	.1357
-1.0	.1379	.1401	.1423	.1446	.1469	.1492	.1515	.1539	.1562	.1587
-0.9	.1611	.1635	.1660	.1685	.1711	.1736	.1762	.1788	.1814	.1841
-0.8	.1867	.1894	.1922	.1949	.1977	.2005	.2033	.2061	.2090	.2119
-0.7	.2148	.2177	.2206	.2236	.2266	.2296	.2327	.2358	.2389	.2420
-0.6	.2451	.2483	.2514	.2546	.2578	.2611	.2643	.2676	.2709	.2743
-0.5	.2776	.2810	.2843	.2877	.2912	.2946	.2981	.3015	.3050	.3085
-0.4	.3121	.3156	.3192	.3228	.3264	.3300	.3336	.3372	.3409	.3446
-0.3	.3483	.3520	.3557	.3594	.3632	.3669	.3707	.3745	.3783	.3821
-0.2	.3859	.3897	.3936	.3974	.4013	.4052	.4090	.4129	.4168	.4207
-0.1	.4247	.4286	.4325	.4364	.4404	.4443	.4483	.4522	.4562	.4602
-0.0	.4641	.4681	.4721	.4761	.4801	.4840	.4880	.4920	.4960	.5000

**Critical Values**

<b>Level of Confidence <i>c</i></b>	<b><i>z<sub>c</sub></i></b>
0.80	1.28
0.90	1.645
0.95	1.96
0.99	2.575





Table A-3, pp. 681–682 from *Probability and Statistics for Engineers and Scientists*, 6e by Walpole, Meyers, and Myers. Copyright 1997. Reprinted by permission of Pearson Prentice Hall, Upper Saddle River, N.J.






**Table 5 — t-Distribution**



d.f.	Level of confidence, $c$	0.50	0.80	0.90	0.95	0.98	0.99
	One tail, $\alpha$	0.25	0.10	0.05	0.025	0.01	0.005
	Two tails, $\alpha$	0.50	0.20	0.10	0.05	0.02	0.01
1		1.000	3.078	6.314	12.706	31.821	63.657
2		.816	1.886	2.920	4.303	6.965	9.925
3		.765	1.638	2.353	3.182	4.541	5.841
4		.741	1.533	2.132	2.776	3.747	4.604
5		.727	1.476	2.015	2.571	3.365	4.032
6		.718	1.440	1.943	2.447	3.143	3.707
7		.711	1.415	1.895	2.365	2.998	3.499
8		.706	1.397	1.860	2.306	2.896	3.355
9		.703	1.383	1.833	2.262	2.821	3.250
10		.700	1.372	1.812	2.228	2.764	3.169
11		.697	1.363	1.796	2.201	2.718	3.106
12		.695	1.356	1.782	2.179	2.681	3.055
13		.694	1.350	1.771	2.160	2.650	3.012
14		.692	1.345	1.761	2.145	2.624	2.977
15		.691	1.341	1.753	2.131	2.602	2.947
16		.690	1.337	1.746	2.120	2.583	2.921
17		.689	1.333	1.740	2.110	2.567	2.898
18		.688	1.330	1.734	2.101	2.552	2.878
19		.688	1.328	1.729	2.093	2.539	2.861
20		.687	1.325	1.725	2.086	2.528	2.845
21		.686	1.323	1.721	2.080	2.518	2.831
22		.686	1.321	1.717	2.074	2.508	2.819
23		.685	1.319	1.714	2.069	2.500	2.807
24		.685	1.318	1.711	2.064	2.492	2.797
25		.684	1.316	1.708	2.060	2.485	2.787
26		.684	1.315	1.706	2.056	2.479	2.779
27		.684	1.314	1.703	2.052	2.473	2.771
28		.683	1.313	1.701	2.048	2.467	2.763
29		.683	1.311	1.699	2.045	2.462	2.756
$\infty$		.674	1.282	1.645	1.960	2.326	2.576

Adapted from W. H. Beyer, *Handbook of Tables of Probability and Statistics*, 2e, CRC Press, Boca Raton, Florida, 1986. Reprinted with permission.

**Table 6 — Chi-Square Distribution**



Degrees of freedom	$\alpha$									
	0.995	0.99	0.975	0.95	0.90	0.10	0.05	0.025	0.01	0.005
1	—	—	0.001	0.004	0.016	2.706	3.841	5.024	6.635	7.879
2	0.010	0.020	0.051	0.103	0.211	4.605	5.991	7.378	9.210	10.597
3	0.072	0.115	0.216	0.352	0.584	6.251	7.815	9.348	11.345	12.838
4	0.207	0.297	0.484	0.711	1.064	7.779	9.488	11.143	13.277	14.860
5	0.412	0.554	0.831	1.145	1.610	9.236	11.071	12.833	15.086	16.750
6	0.676	0.872	1.237	1.635	2.204	10.645	12.592	14.449	16.812	18.548
7	0.989	1.239	1.690	2.167	2.833	12.017	14.067	16.013	18.475	20.278
8	1.344	1.646	2.180	2.733	3.490	13.362	15.507	17.535	20.090	21.955
9	1.735	2.088	2.700	3.325	4.168	14.684	16.919	19.023	21.666	23.589
10	2.156	2.558	3.247	3.940	4.865	15.987	18.307	20.483	23.209	25.188
11	2.603	3.053	3.816	4.575	5.578	17.275	19.675	21.920	24.725	26.757
12	3.074	3.571	4.404	5.226	6.304	18.549	21.026	23.337	26.217	28.299
13	3.565	4.107	5.009	5.892	7.042	19.812	22.362	24.736	27.688	29.819
14	4.075	4.660	5.629	6.571	7.790	21.064	23.685	26.119	29.141	31.319
15	4.601	5.229	6.262	7.261	8.547	22.307	24.996	27.488	30.578	32.801
16	5.142	5.812	6.908	7.962	9.312	23.542	26.296	28.845	32.000	34.267
17	5.697	6.408	7.564	8.672	10.085	24.769	27.587	30.191	33.409	35.718
18	6.265	7.015	8.231	9.390	10.865	25.989	28.869	31.526	34.805	37.156
19	6.844	7.633	8.907	10.117	11.651	27.204	30.144	32.852	36.191	38.582
20	7.434	8.260	9.591	10.851	12.443	28.412	31.410	34.170	37.566	39.997
21	8.034	8.897	10.283	11.591	13.240	29.615	32.671	35.479	38.932	41.401
22	8.643	9.542	10.982	12.338	14.042	30.813	33.924	36.781	40.289	42.796
23	9.260	10.196	11.689	13.091	14.848	32.007	35.172	38.076	41.638	44.181
24	9.886	10.856	12.401	13.848	15.659	33.196	36.415	39.364	42.980	45.559
25	10.520	11.524	13.120	14.611	16.473	34.382	37.652	40.646	44.314	46.928
26	11.160	12.198	13.844	15.379	17.292	35.563	38.885	41.923	45.642	48.290
27	11.808	12.879	14.573	16.151	18.114	36.741	40.113	43.194	46.963	49.645
28	12.461	13.565	15.308	16.928	18.939	37.916	41.337	44.461	48.278	50.993
29	13.121	14.257	16.047	17.708	19.768	39.087	42.557	45.722	49.588	52.336
30	13.787	14.954	16.791	18.493	20.599	40.256	43.773	46.979	50.892	53.672
40	20.707	22.164	24.433	26.509	29.051	51.805	55.758	59.342	63.691	66.766
50	27.991	29.707	32.357	34.764	37.689	63.167	67.505	71.420	76.154	79.490
60	35.534	37.485	40.482	43.188	46.459	74.397	79.082	83.298	88.379	91.952
70	43.275	45.442	48.758	51.739	55.329	85.527	90.531	95.023	100.425	104.215
80	51.172	53.540	57.153	60.391	64.278	96.578	101.879	106.629	112.329	116.321
90	59.196	61.754	65.647	69.126	73.291	107.565	113.145	118.136	124.116	128.299
100	67.328	70.065	74.222	77.929	82.358	118.498	124.342	129.561	135.807	140.169

D. B. Owen, HANDBOOK OF STATISTICAL TABLES, A.5, Published by Addison Wesley Longman, Inc. Reproduced by permission of Pearson Education, Inc. All rights reserved.




Table 7— F-Distribution

d.f. <sub>D</sub> : Degrees of freedom, denominator	d.f. <sub>N</sub> : Degrees of freedom, numerator																			
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞	
1	16211	20000	21615	22500	23056	23437	23715	23925	24091	24224	24426	24630	24836	24940	25044	25148	25253	25359	25465	
2	198.5	199.0	199.2	199.2	199.3	199.3	199.4	199.4	199.4	199.4	199.4	199.4	199.4	199.4	199.5	199.5	199.5	199.5	199.5	
3	55.55	49.80	47.47	46.19	45.39	44.84	44.43	44.13	43.88	43.69	43.39	43.08	42.78	42.62	42.47	42.31	42.15	41.99	41.83	
4	31.33	26.28	24.26	23.15	22.46	21.97	21.62	21.35	21.14	20.97	20.70	20.44	20.17	20.03	19.89	19.75	19.61	19.47	19.32	
5	22.78	18.31	16.53	15.56	14.94	14.51	14.20	13.96	13.77	13.62	13.38	13.15	12.90	12.78	12.66	12.53	12.40	12.27	12.14	
6	18.63	14.54	12.92	12.03	11.46	11.07	10.79	10.57	10.39	10.25	10.03	9.81	9.59	9.47	9.36	9.24	9.12	9.00	8.88	
7	16.24	12.40	10.88	10.05	9.52	9.16	8.89	8.68	8.51	8.38	8.18	7.97	7.75	7.65	7.53	7.42	7.31	7.19	7.08	
8	14.69	11.04	9.60	8.81	8.30	7.95	7.69	7.50	7.34	7.21	7.01	6.81	6.61	6.50	6.40	6.29	6.18	6.06	5.95	
9	13.61	10.11	8.72	7.96	7.47	7.13	6.88	6.69	6.54	6.42	6.23	6.03	5.83	5.73	5.62	5.52	5.41	5.30	5.19	
10	12.83	9.43	8.08	7.34	6.87	6.54	6.30	6.12	5.97	5.85	5.66	5.47	5.27	5.17	5.07	4.97	4.86	4.75	4.64	
11	12.73	8.91	7.60	6.88	6.42	6.10	5.86	5.68	5.54	5.42	5.24	5.05	4.86	4.76	4.65	4.55	4.44	4.34	4.23	
12	11.75	8.51	7.23	6.52	6.07	5.76	5.52	5.35	5.20	5.09	4.91	4.72	4.53	4.43	4.33	4.23	4.12	4.01	3.90	
13	11.37	8.19	6.93	6.23	5.79	5.48	5.25	5.08	4.94	4.82	4.64	4.46	4.27	4.17	4.07	3.97	3.87	3.76	3.65	
14	11.06	7.92	6.68	6.00	5.56	5.26	5.03	4.86	4.72	4.60	4.43	4.25	4.06	3.96	3.86	3.76	3.66	3.55	3.44	
15	10.80	7.70	6.48	5.80	5.37	5.07	4.85	4.67	4.54	4.42	4.25	4.07	3.88	3.79	3.69	3.58	3.48	3.37	3.26	
16	10.58	7.51	6.30	5.64	5.21	4.91	4.69	4.52	4.38	4.27	4.10	3.92	3.73	3.64	3.54	3.44	3.33	3.22	3.11	
17	10.38	7.35	6.16	5.50	5.07	4.78	4.56	4.39	4.25	4.14	3.97	3.79	3.61	3.51	3.41	3.31	3.21	3.10	2.98	
18	10.22	7.21	6.03	5.37	4.96	4.66	4.44	4.28	4.14	4.03	3.86	3.68	3.50	3.40	3.30	3.20	3.10	2.99	2.87	
19	10.07	7.09	5.92	5.27	4.85	4.56	4.34	4.18	4.04	3.93	3.76	3.59	3.40	3.31	3.21	3.11	3.00	2.89	2.78	
20	9.94	6.99	5.82	5.17	4.76	4.47	4.26	4.09	3.96	3.85	3.68	3.50	3.32	3.22	3.12	3.02	2.92	2.81	2.69	
21	9.83	6.89	5.73	5.09	4.68	4.39	4.18	4.01	3.88	3.77	3.60	3.43	3.24	3.15	3.05	2.95	2.84	2.73	2.61	
22	9.73	6.81	5.65	5.02	4.61	4.32	4.11	3.94	3.81	3.70	3.54	3.36	3.18	3.08	2.98	2.88	2.77	2.66	2.55	
23	9.63	6.73	5.58	4.95	4.54	4.26	4.05	3.88	3.75	3.64	3.47	3.30	3.12	3.02	2.92	2.82	2.71	2.60	2.48	
24	9.55	6.66	5.52	4.89	4.49	4.20	3.99	3.83	3.69	3.59	3.42	3.25	3.06	2.97	2.87	2.77	2.66	2.55	2.43	
25	9.48	6.60	5.46	4.84	4.43	4.15	3.94	3.78	3.64	3.54	3.37	3.20	3.01	2.92	2.82	2.72	2.61	2.50	2.38	
26	9.41	6.54	5.41	4.79	4.38	4.10	3.89	3.73	3.60	3.49	3.33	3.15	2.97	2.87	2.77	2.67	2.56	2.45	2.33	
27	9.34	6.49	5.36	4.74	4.34	4.06	3.85	3.69	3.56	3.45	3.28	3.11	2.93	2.83	2.73	2.63	2.52	2.41	2.29	
28	9.28	6.44	5.32	4.70	4.30	4.02	3.81	3.65	3.52	3.41	3.25	3.07	2.89	2.79	2.69	2.59	2.48	2.37	2.29	
29	9.23	6.40	5.28	4.66	4.26	3.98	3.77	3.61	3.48	3.38	3.21	3.04	2.86	2.76	2.66	2.56	2.45	2.33	2.24	
30	9.18	6.35	5.24	4.62	4.23	3.95	3.74	3.58	3.45	3.34	3.18	3.01	2.82	2.73	2.63	2.52	2.42	2.30	2.18	
40	8.83	6.07	4.98	4.37	3.99	3.71	3.51	3.35	3.22	3.12	2.95	2.78	2.60	2.50	2.40	2.30	2.18	2.06	1.93	
60	8.49	5.79	4.73	4.14	3.76	3.49	3.29	3.13	3.01	2.90	2.74	2.57	2.39	2.29	2.19	2.08	1.96	1.83	1.69	
120	8.18	5.54	4.50	3.92	3.55	3.28	3.09	2.93	2.81	2.71	2.54	2.37	2.19	2.09	1.98	1.87	1.75	1.61	1.43	
∞	7.88	5.30	4.28	3.72	3.35	3.09	2.90	2.74	2.62	2.52	2.36	2.19	2.00	1.90	1.79	1.67	1.53	1.36	1.00	

$\alpha = 0.005$

Table 7— F-Distribution (continued)

d.f. <sub>D</sub> : Degrees of freedom, denominator	d.f. <sub>N</sub> : Degrees of freedom, numerator																		
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	4052	4999.5	5403	5625	5764	5859	5928	5982	6022	6056	6106	6157	6209	6235	6261	6287	6313	6339	6366
2	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39	99.40	99.42	99.43	99.45	99.46	99.47	99.47	99.48	99.49	99.50
3	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35	27.23	27.05	26.87	26.69	26.60	26.50	26.41	26.32	26.22	26.13
4	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66	14.55	14.20	14.02	13.93	13.93	13.84	13.75	13.65	13.56	13.46
5	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	10.05	9.89	9.72	9.55	9.47	9.38	9.29	9.20	9.11	9.02
6	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87	7.72	7.56	7.40	7.31	7.23	7.14	7.06	6.97	6.88
7	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	6.62	6.47	6.31	6.16	6.07	5.99	5.91	5.82	5.74	5.65
8	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81	5.67	5.52	5.36	5.28	5.20	5.12	5.03	4.95	4.86
9	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35	5.26	5.11	4.96	4.81	4.73	4.65	4.57	4.48	4.40	4.31
10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85	4.71	4.56	4.41	4.33	4.25	4.17	4.08	4.00	3.91
11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54	4.40	4.25	4.10	4.02	3.94	3.86	3.78	3.69	3.60
12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30	4.16	4.01	3.86	3.78	3.70	3.62	3.54	3.45	3.36
13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10	3.96	3.82	3.66	3.59	3.51	3.43	3.34	3.25	3.17
14	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94	3.80	3.66	3.51	3.43	3.35	3.27	3.18	3.09	3.00
15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80	3.67	3.52	3.37	3.29	3.21	3.13	3.05	2.96	2.87
16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69	3.55	3.41	3.26	3.18	3.10	3.02	2.93	2.84	2.75
17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59	3.46	3.31	3.16	3.08	3.00	2.92	2.83	2.75	2.65
18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51	3.37	3.23	3.08	3.00	2.92	2.84	2.75	2.66	2.57
19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43	3.30	3.15	3.00	2.92	2.84	2.76	2.67	2.58	2.49
20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37	3.23	3.09	2.94	2.86	2.78	2.69	2.61	2.52	2.42
21	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40	3.31	3.17	3.03	2.88	2.80	2.72	2.64	2.55	2.46	2.36
22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26	3.12	2.98	2.83	2.75	2.67	2.58	2.50	2.40	2.31
23	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	3.21	3.07	2.93	2.78	2.70	2.62	2.54	2.45	2.35	2.26
24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17	3.03	2.89	2.74	2.66	2.58	2.49	2.40	2.31	2.21
25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13	2.99	2.85	2.70	2.62	2.54	2.45	2.36	2.27	2.17
26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09	2.96	2.81	2.66	2.58	2.50	2.42	2.33	2.23	2.13
27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06	2.93	2.78	2.63	2.55	2.47	2.38	2.29	2.20	2.10
28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03	2.90	2.75	2.60	2.52	2.44	2.35	2.26	2.17	2.06
29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09	3.00	2.87	2.73	2.57	2.49	2.41	2.33	2.23	2.14	2.03
30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.06	2.98	2.84	2.70	2.55	2.47	2.39	2.30	2.21	2.11	2.01
40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80	2.66	2.52	2.37	2.29	2.20	2.11	2.02	1.92	1.80
60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	2.50	2.35	2.20	2.12	2.03	1.94	1.84	1.73	1.60
120	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56	2.47	2.34	2.19	2.03	1.95	1.86	1.76	1.66	1.53	1.38
∞	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41	2.32	2.18	2.04	1.88	1.79	1.70	1.59	1.47	1.32	1.00

Table 7—F-Distribution (continued)

d.f. <sub>D</sub> : Degrees of freedom, denominator	d.f. <sub>N</sub> : Degrees of freedom, numerator																				
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	1010	1014	∞
1	647.8	799.5	864.2	899.6	921.8	937.1	948.2	956.7	963.3	968.6	976.7	984.9	993.1	997.2	1001	1006	1010	1014	1018	1018	1018
2	38.51	39.00	39.17	39.25	39.30	39.33	39.36	39.37	39.39	39.40	39.41	39.43	39.45	39.46	39.46	39.46	39.47	39.48	39.49	39.50	39.50
3	17.44	16.04	15.44	15.10	14.88	14.73	14.62	14.54	14.47	14.42	14.34	14.25	14.17	14.12	14.08	14.04	13.99	13.95	13.95	13.90	13.90
4	12.22	10.65	9.98	9.60	9.36	9.20	9.07	8.98	8.90	8.84	8.75	8.66	8.56	8.51	8.46	8.41	8.36	8.31	8.26	8.26	8.26
5	10.01	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68	6.62	6.52	6.43	6.33	6.28	6.23	6.18	6.12	6.07	6.02	6.02	6.02
6	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52	5.46	5.37	5.27	5.17	5.12	5.07	5.01	4.96	4.90	4.85	4.85	4.85
7	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82	4.76	4.67	4.57	4.47	4.42	4.36	4.31	4.25	4.20	4.14	4.14	4.14
8	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36	4.30	4.20	4.10	4.00	3.95	3.89	3.84	3.78	3.73	3.67	3.67	3.67
9	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03	3.96	3.87	3.77	3.67	3.61	3.56	3.51	3.45	3.39	3.33	3.33	3.33
10	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78	3.72	3.62	3.52	3.42	3.37	3.31	3.26	3.20	3.14	3.08	3.08	3.08
11	6.72	5.26	4.63	4.28	4.04	3.88	3.76	3.66	3.59	3.53	3.43	3.33	3.23	3.17	3.12	3.06	3.00	2.94	2.88	2.88	2.88
12	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44	3.37	3.28	3.18	3.07	3.02	2.96	2.91	2.85	2.79	2.73	2.73	2.73
13	6.41	4.97	4.35	4.00	3.77	3.60	3.48	3.39	3.31	3.25	3.15	3.05	2.95	2.89	2.84	2.78	2.72	2.66	2.60	2.60	2.60
14	6.30	4.86	4.24	3.89	3.66	3.50	3.38	3.29	3.21	3.15	3.05	2.95	2.84	2.79	2.73	2.67	2.61	2.55	2.49	2.49	2.49
15	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12	3.06	2.98	2.86	2.76	2.70	2.64	2.59	2.52	2.46	2.40	2.40	2.40
16	6.12	4.69	4.08	3.73	3.50	3.34	3.22	3.12	3.05	2.99	2.89	2.79	2.68	2.63	2.57	2.51	2.45	2.38	2.32	2.32	2.32
17	6.04	4.62	4.01	3.66	3.44	3.28	3.16	3.06	2.98	2.92	2.82	2.72	2.62	2.56	2.50	2.44	2.38	2.32	2.25	2.25	2.25
18	5.98	4.56	3.95	3.61	3.38	3.22	3.10	3.01	2.93	2.87	2.77	2.67	2.56	2.50	2.44	2.38	2.32	2.26	2.19	2.19	2.19
19	5.92	4.51	3.90	3.56	3.33	3.17	3.05	2.96	2.88	2.82	2.72	2.62	2.51	2.45	2.39	2.33	2.27	2.20	2.13	2.13	2.13
20	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84	2.77	2.68	2.57	2.46	2.41	2.35	2.29	2.22	2.16	2.09	2.09	2.09
21	5.83	4.42	3.82	3.48	3.25	3.09	2.97	2.87	2.80	2.73	2.64	2.53	2.42	2.37	2.31	2.25	2.18	2.11	2.04	2.04	2.04
22	5.79	4.38	3.78	3.44	3.22	3.05	2.93	2.84	2.76	2.70	2.60	2.50	2.39	2.33	2.27	2.21	2.14	2.08	2.00	2.00	2.00
23	5.75	4.35	3.75	3.41	3.18	3.02	2.90	2.81	2.73	2.67	2.57	2.47	2.36	2.30	2.24	2.18	2.11	2.04	1.97	1.97	1.97
24	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.70	2.64	2.54	2.44	2.33	2.27	2.21	2.15	2.08	2.01	1.94	1.94	1.94
25	5.69	4.29	3.69	3.35	3.13	2.97	2.85	2.75	2.68	2.61	2.51	2.41	2.30	2.24	2.18	2.12	2.05	1.98	1.91	1.91	1.91
26	5.66	4.27	3.67	3.33	3.10	2.94	2.82	2.73	2.65	2.59	2.49	2.39	2.25	2.22	2.16	2.09	2.03	1.95	1.88	1.88	1.88
27	5.63	4.24	3.65	3.31	3.08	2.92	2.80	2.71	2.63	2.57	2.47	2.36	2.25	2.19	2.13	2.07	2.00	1.93	1.85	1.85	1.85
28	5.61	4.22	3.63	3.29	3.06	2.90	2.78	2.69	2.61	2.55	2.45	2.34	2.23	2.17	2.11	2.05	1.98	1.91	1.83	1.83	1.83
29	5.59	4.20	3.61	3.27	3.04	2.88	2.76	2.67	2.59	2.53	2.43	2.32	2.21	2.15	2.09	2.03	1.96	1.89	1.81	1.81	1.81
30	5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57	2.51	2.41	2.31	2.20	2.14	2.07	2.01	1.94	1.87	1.79	1.79	1.79
40	5.42	4.05	3.46	3.13	2.90	2.74	2.62	2.53	2.45	2.39	2.29	2.18	2.07	2.01	1.94	1.88	1.80	1.72	1.64	1.64	1.64
60	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33	2.27	2.17	2.06	1.94	1.88	1.82	1.74	1.67	1.58	1.48	1.48	1.48
120	5.15	3.80	3.23	2.89	2.67	2.52	2.39	2.30	2.22	2.16	2.05	1.94	1.82	1.76	1.69	1.61	1.53	1.43	1.31	1.31	1.31
∞	5.02	3.69	3.12	2.79	2.57	2.41	2.29	2.19	2.11	2.05	1.94	1.83	1.71	1.64	1.57	1.48	1.39	1.27	1.15	1.15	1.15

Table 7— F-Distribution (continued)

d.f. <sub>D</sub> : Degrees of freedom, denominator	d.f. <sub>N</sub> : Degrees of freedom, numerator																		
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5	241.9	243.9	245.9	248.0	249.1	250.1	251.1	252.2	253.3	254.3
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.43	19.45	19.45	19.46	19.47	19.48	19.49	19.50
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.57	8.55	8.53
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.36
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.71
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.21
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.01
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39
120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.25
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00

Table 7—*F*-Distribution (continued)

d.f. <sub>D</sub> : Degrees of freedom, denominator	$\alpha = 0.10$																							
	d.f. <sub>N</sub> : Degrees of freedom, numerator																							
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞					
1	39.86	49.50	53.59	55.83	57.24	58.20	58.91	59.44	59.86	60.19	60.71	61.22	61.74	62.00	62.26	62.53	62.79	63.06	63.33					
2	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38	9.39	9.41	9.42	9.44	9.45	9.46	9.47	9.47	9.48	9.49					
3	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24	5.23	5.22	5.20	5.18	5.18	5.17	5.16	5.15	5.14	5.13					
4	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94	3.92	3.90	3.87	3.84	3.83	3.82	3.80	3.79	3.78	3.76					
5	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32	3.30	3.27	3.24	3.21	3.19	3.17	3.16	3.14	3.12	3.10					
6	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96	2.94	2.90	2.87	2.84	2.82	2.80	2.78	2.76	2.74	2.72					
7	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72	2.70	2.67	2.63	2.59	2.58	2.56	2.54	2.51	2.49	2.47					
8	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56	2.54	2.50	2.46	2.42	2.40	2.38	2.36	2.34	2.32	2.29					
9	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44	2.42	2.38	2.34	2.30	2.28	2.25	2.23	2.21	2.18	2.16					
10	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35	2.32	2.28	2.24	2.20	2.18	2.16	2.13	2.11	2.08	2.06					
11	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27	2.25	2.21	2.17	2.12	2.10	2.08	2.05	2.03	2.00	1.97					
12	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21	2.19	2.15	2.10	2.06	2.04	2.01	1.99	1.96	1.93	1.90					
13	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16	2.14	2.10	2.05	2.01	1.98	1.96	1.93	1.90	1.88	1.85					
14	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12	2.10	2.05	2.01	1.96	1.94	1.91	1.89	1.86	1.83	1.80					
15	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09	2.06	2.02	1.97	1.92	1.90	1.87	1.85	1.82	1.79	1.76					
16	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06	2.03	1.99	1.94	1.89	1.87	1.84	1.81	1.78	1.75	1.72					
17	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03	2.00	1.96	1.91	1.86	1.84	1.81	1.78	1.75	1.72	1.69					
18	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00	1.98	1.93	1.89	1.84	1.81	1.78	1.75	1.72	1.69	1.66					
19	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98	1.96	1.91	1.86	1.81	1.79	1.76	1.73	1.70	1.67	1.63					
20	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96	1.94	1.89	1.84	1.79	1.77	1.74	1.71	1.68	1.64	1.61					
21	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95	1.92	1.87	1.83	1.78	1.75	1.72	1.69	1.66	1.62	1.59					
22	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93	1.90	1.86	1.81	1.76	1.73	1.70	1.67	1.64	1.60	1.57					
23	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.95	1.92	1.89	1.84	1.80	1.74	1.72	1.69	1.66	1.62	1.59	1.55					
24	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91	1.88	1.83	1.78	1.73	1.70	1.67	1.64	1.61	1.57	1.53					
25	2.92	2.53	2.32	2.18	2.08	2.02	1.97	1.93	1.89	1.87	1.82	1.77	1.72	1.69	1.66	1.63	1.59	1.56	1.52					
26	2.91	2.52	2.31	2.17	2.07	2.00	1.96	1.92	1.88	1.86	1.81	1.76	1.71	1.68	1.65	1.61	1.58	1.54	1.50					
27	2.90	2.51	2.30	2.17	2.07	2.00	1.95	1.91	1.87	1.85	1.80	1.75	1.70	1.67	1.64	1.60	1.57	1.53	1.49					
28	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87	1.84	1.79	1.74	1.69	1.66	1.63	1.59	1.56	1.52	1.48					
29	2.89	2.50	2.28	2.15	2.06	1.99	1.93	1.89	1.86	1.83	1.78	1.73	1.68	1.65	1.62	1.58	1.55	1.51	1.47					
30	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85	1.82	1.77	1.72	1.67	1.64	1.61	1.57	1.54	1.50	1.46					
40	2.84	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.79	1.76	1.71	1.66	1.61	1.57	1.54	1.51	1.47	1.42	1.38					
60	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74	1.71	1.66	1.61	1.54	1.51	1.48	1.44	1.40	1.35	1.29					
120	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68	1.65	1.60	1.55	1.48	1.45	1.41	1.37	1.32	1.26	1.19					
∞	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63	1.60	1.55	1.49	1.42	1.38	1.34	1.30	1.24	1.17	1.00					

From M. Merrington and C.M. THompson, "Table of Percentage Points of the Inverted Beta (F) Distribution", *Biometrika* 33 (1943), pp. 74-87, by permission of Oxford University Press.

**Table 8 — Critical Values for the Sign Test**

Reject the null hypothesis if the test statistic is less than or equal to the value in the table.

<i>n</i>	One-tailed,			
	$\alpha = 0.005$	$\alpha = 0.01$	$\alpha = 0.025$	$\alpha = 0.05$
	Two-tailed,			
	$\alpha = 0.01$	$\alpha = 0.02$	$\alpha = 0.05$	$\alpha = 0.10$
8	0	0	0	1
9	0	0	1	1
10	0	0	1	1
11	0	1	1	2
12	1	1	2	2
13	1	1	2	3
14	1	2	3	3
15	2	2	3	3
16	2	2	3	4
17	2	3	4	4
18	3	3	4	5
19	3	4	4	5
20	3	4	5	5
21	4	4	5	6
22	4	5	5	6
23	4	5	6	7
24	5	5	6	7
25	5	6	6	7

Note: Table 8 is for one-tailed or two-tailed tests. The sample size *n* represents the total number of + and - signs. The test value is the smaller number of + or - signs.

From *Journal of American Statistical Association* Vol. 41 (1946), pp. 557-66. W. J. Dixon and A. M. Mood. Reprinted with permission.

**Table 9 — Critical Values for the Wilcoxon Signed-Rank Test**

Reject the null hypothesis if the value of the test statistic *w<sub>s</sub>* is less than or equal to the value given in the table.

<i>n</i>	One-tailed,			
	$\alpha = 0.05$	$\alpha = 0.025$	$\alpha = 0.01$	$\alpha = 0.005$
	Two-tailed,			
	$\alpha = 0.10$	$\alpha = 0.05$	$\alpha = 0.02$	$\alpha = 0.01$
5	1	—	—	—
6	2	1	—	—
7	4	2	0	—
8	6	4	2	0
9	8	6	3	2
10	11	8	5	3
11	14	11	7	5
12	17	14	10	7
13	21	17	13	10
14	26	21	16	13
15	30	25	20	16
16	36	30	24	19
17	41	35	28	23
18	47	40	33	28
19	54	46	38	32
20	60	52	43	37
21	68	59	49	43
22	75	66	56	49
23	83	73	62	55
24	92	81	69	61
25	101	90	77	68
26	110	98	85	76
27	120	107	93	84
28	130	117	102	92
29	141	127	111	100
30	152	137	120	109

From *Some Rapid Approximate Statistical Procedures*. Copyright 1949, 1964 Lederle Laboratories, American Cyanamid Co., Wayne, N.J. Reprinted with permission.



**Table 10—Critical Values for the Spearman Rank Correlation**

Reject  $H_0: \rho_s = 0$  if the absolute value of  $r_s$  is greater than the value given in the table.

$n$	$\alpha = 0.10$	$\alpha = 0.05$	$\alpha = 0.01$
5	0.900	—	—
6	0.829	0.886	—
7	0.714	0.786	0.929
8	0.643	0.738	0.881
9	0.600	0.700	0.833
10	0.564	0.648	0.794
11	0.536	0.618	0.818
12	0.497	0.591	0.780
13	0.475	0.566	0.745
14	0.457	0.545	0.716
15	0.441	0.525	0.689
16	0.425	0.507	0.666
17	0.412	0.490	0.645
18	0.399	0.476	0.625
19	0.388	0.462	0.608
20	0.377	0.450	0.591
21	0.368	0.438	0.576
22	0.359	0.428	0.562
23	0.351	0.418	0.549
24	0.343	0.409	0.537
25	0.336	0.400	0.526
26	0.329	0.392	0.515
27	0.323	0.385	0.505
28	0.317	0.377	0.496
29	0.311	0.370	0.487
30	0.305	0.364	0.478

Reprinted with permission from the Institute of Mathematical Statistics.

**Table 11—Critical Values for the Pearson Correlation Coefficient**

Reject  $H_0: \rho = 0$  if the absolute value of  $r$  is greater than the value given in the table.

$n$	$\alpha = 0.05$	$\alpha = 0.01$
4	0.950	0.990
5	0.878	0.959
6	0.811	0.917
7	0.754	0.875
8	0.707	0.834
9	0.666	0.798
10	0.632	0.765
11	0.602	0.735
12	0.576	0.708
13	0.553	0.684
14	0.532	0.661
15	0.514	0.641
16	0.497	0.623
17	0.482	0.606
18	0.468	0.590
19	0.456	0.575
20	0.444	0.561
21	0.433	0.549
22	0.423	0.537
23	0.413	0.526
24	0.404	0.515
25	0.396	0.505
26	0.388	0.496
27	0.381	0.487
28	0.374	0.479
29	0.367	0.471
30	0.361	0.463
35	0.334	0.430
40	0.312	0.403
45	0.294	0.380
50	0.279	0.361
55	0.266	0.345
60	0.254	0.330
65	0.244	0.317
70	0.235	0.306
75	0.227	0.296
80	0.220	0.286
85	0.213	0.278
90	0.207	0.270
95	0.202	0.263
100	0.197	0.256

The critical values in Table 11 were generated using Excel.

**Table 12— Critical Values for the Number of Runs**

Reject the null hypothesis if the test statistic  $G$  is less than or equal to the smaller entry or greater than or equal to the larger entry.

		Value of $n_2$																		
		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Value of $n_1$	2	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2
	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
	3	1	1	1	1	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3
	6	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
	4	1	1	1	2	2	2	3	3	3	3	3	3	3	3	4	4	4	4	4
	6	8	9	9	9	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
	5	1	1	2	2	3	3	3	3	3	4	4	4	4	4	4	4	4	5	5
	6	8	9	10	10	11	11	11	12	12	12	12	12	12	12	12	12	12	12	12
	6	1	2	2	3	3	3	3	4	4	4	4	5	5	5	5	5	5	6	6
	6	8	9	10	11	12	12	13	13	13	13	13	14	14	14	14	14	14	14	14
	7	1	2	2	3	3	3	4	4	5	5	5	5	5	6	6	6	6	6	6
	6	8	10	11	12	13	13	14	14	14	14	14	15	15	15	16	16	16	16	16
	8	1	2	3	3	3	4	4	5	5	5	6	6	6	6	6	7	7	7	7
	6	8	10	11	12	13	14	14	15	15	16	16	16	16	16	17	17	17	17	17
	9	1	2	3	3	4	4	5	5	5	6	6	6	7	7	7	7	8	8	8
	6	8	10	12	13	14	14	14	15	16	16	16	17	17	18	18	18	18	18	18
	10	1	2	3	3	4	5	5	5	6	6	7	7	7	7	8	8	8	8	9
	6	8	10	12	13	14	15	16	16	17	17	18	18	18	19	19	19	19	20	20
	11	1	2	3	4	4	5	5	6	6	7	7	7	8	8	8	9	9	9	9
	6	8	10	12	13	14	15	16	17	17	18	19	19	19	20	20	20	20	21	21
12	2	2	3	4	4	5	6	6	7	7	7	8	8	8	9	9	9	10	10	
6	8	10	12	13	14	16	16	17	18	19	19	20	20	21	21	21	22	22	22	
13	2	2	3	4	5	5	6	6	7	7	8	8	9	9	9	10	10	10	10	
6	8	10	12	14	15	16	17	18	19	19	20	20	21	21	22	22	23	23	23	
14	2	2	3	4	5	6	7	7	8	8	9	9	9	10	10	10	11	11	11	
6	8	10	12	14	15	16	17	18	19	20	20	21	22	22	23	23	23	24	24	
15	2	3	3	4	5	6	6	7	7	8	8	9	9	10	10	11	11	11	12	
6	8	10	12	14	15	16	18	18	19	20	21	22	22	23	23	24	24	24	25	
16	2	3	4	4	5	6	6	7	8	8	9	9	10	10	11	11	11	12	12	
6	8	10	12	14	16	17	18	19	20	21	21	22	23	23	24	25	25	25	25	
17	2	3	4	4	5	6	7	7	8	9	9	10	10	11	11	11	12	12	13	
6	8	10	12	14	16	17	18	19	20	21	22	23	23	24	25	25	26	26	26	
18	2	3	4	5	5	6	7	8	8	9	9	10	10	11	11	12	12	13	13	
6	8	10	12	14	16	17	18	19	20	21	22	23	24	25	25	26	26	27	27	
19	2	3	4	5	6	6	7	8	8	9	10	10	11	11	12	12	13	13	13	
6	8	10	12	14	16	17	18	20	21	22	23	23	24	25	26	26	27	27	27	
20	2	3	4	5	6	6	7	8	9	9	10	10	11	12	12	13	13	13	14	
6	8	10	12	14	16	17	18	20	21	22	23	24	25	25	26	27	27	28	28	

Note: Table 12 is for a two-tailed test with  $\alpha = 0.05$ .  
 Reprinted with permission from the Institute of Mathematical Statistics.

# APPENDIX C

## C

## Normal Probability Plots and Their Graphs

### WHAT YOU SHOULD LEARN

- ▶ How to construct and interpret a normal probability plot

### Normal Probability Plots

#### ▶ NORMAL PROBABILITY PLOTS

For the majority of problems throughout this book, it has been assumed that a random sample of data is selected from a population that has a normal distribution. Suppose you select a random sample from a population with an unknown distribution. How can you determine if the sample was selected from a population that has a normal distribution?

You have already learned that a histogram or stem-and-leaf plot can reveal the shape of a distribution and any outliers, clusters, or gaps in a distribution. These data displays are useful for assessing large sets of data, but assessing small data sets in this manner can be difficult and unreliable. A reliable method for assessing normality in small data sets is to use a graph called a *normal probability plot*.

### DEFINITION

A **normal probability plot** is a graph that plots each observed value from the data set along with its corresponding  $z$ -score. The observed values are usually plotted along the horizontal axis while the corresponding  $z$ -scores are plotted along the vertical axis.

### INSIGHT

A normal probability plot is also called a **normal quantile plot**.



If the plotted points in a normal probability plot are approximately linear, then you can conclude that the data come from a normal distribution. If the plotted points are not approximately linear or follow some type of pattern that is not linear, you can conclude that the data come from a distribution that is not normal. When examining a normal probability plot, look for deviations or clusters of points that stray from the line, which indicate a distribution that is not normal. Individual points that stray from the line in a normal probability plot may be outliers.

Constructing a normal probability plot by hand can be rather tedious. Technology tools such as MINITAB or a TI-83/84 Plus can be used to construct normal probability plots, as shown in Example 1.

### EXAMPLE 1


#### ▶ Constructing a Normal Probability Plot

The heights (in inches) of 12 current National Basketball Association players are listed. Use a technology tool to construct a normal probability plot to determine if the data come from a population that has a normal distribution. Identify any possible outliers.

74, 69, 78, 75, 73, 71, 80, 82, 81, 76, 86, 77



**STUDY TIP**

Here are instructions for constructing a normal probability plot using MINITAB. First, enter the heights into column C1. Then click *Graph*, and select *Probability Plot*. Make sure single probability plot is chosen and click OK. Then double-click C1 to select the data to be graphed. Click *Distribution* and make sure normal is chosen. Click the *Data Display* menu. Select *Symbols only*. Then click OK. Click *Scale* and in the *Y-Scale Type* menu, select *Score*, and click OK. Click *Labels* and title the graph. Then click OK twice.



**► Solution**

Using a TI-83/84 Plus, begin by entering the data into List 1. Then use *Stat Plot* to construct the normal probability plot. The plot should look similar to the one shown below. From the scatter plot, it appears that there are no outliers and the points are approximately linear. To construct a normal probability plot using MINITAB, follow the instructions in the margin.



Normal probability plot

**Interpretation** Because the points are approximately linear, you can conclude that the sample data come from a population that has a normal distribution.

**► Try It Yourself 1**

The balances (in dollars) on student loans for 18 randomly selected college seniors are listed.

29,150	16,980	12,470	19,235	15,875	8,960
16,105	14,575	39,860	20,170	9,710	19,650
21,590	8,200	18,100	25,530	9,285	10,075

- Use a technology tool to construct a normal probability plot. Are the points approximately linear?
- Identify any possible outliers.
- Interpret your answer.

*Answer: Page A49*

To see that the points are approximately linear, you can graph the regression line for the original data values and their corresponding z-scores. The regression line for the heights and z-scores from Example 1 is shown in the graph. From the graph, you can see that the points lie along the regression line. You can also approximate the mean of the data set by determining where the line crosses the x-axis.

